Second Cor. Line South

East-along the S. boundary of T. 10 S. R 61 W.
Var. 15° E.

40.00 Set sandstone 13x7x4 for gr sec cor.
80.00 Set a sandstone 16x7x5 for cor to secs 31 & 32
Soil 3d rate

40.00 Set granite stone 14x8x4 for gr sec cor.
80.00 Set sandstone 20x8x5 for cor to secs 32 & 33
Surface slightly rolling
Soil 3d rate

24.00 Dry creek course S. 16° E.
40.00 Set granite stone 12x6x5 for gr. sec. cor.
80.00 Set granite stone 16x8x6 for cor. to secs 33 & 34

T. 10 S. R. 61 W.

Surface sloping towards the S.
Soil 3d rate
Vegetation cactus

13.00 S chis S. I found strong indications of bituminous coal
A stratum of shale which I suppose lies immediately over coal outcrops out in several places
22.00 Dry creek course S. 18° E.
40.00 Set sandstone 15x8x5 for gr. sec. cor.
80.00 Set granite stone 14x6x5 for cor to secs 34 & 35
Surface level
Soil 2d rate

40.00 Set granite stone 16x8x6 for gr. sec. cor.
80.00 Set sandstone 20x7x4 for cor to secs 35 & 36
Soil 2d rate

Second Cor. Line South

16.00 Enter bottom of Big Sandy
29.00 Creek course N. 54° E
water in pools
34.00 Creek course S. 81° E.
40.00 Set granite stone 13X10X3 for
qr. sec. cor.
44.00 Creek course N. 10° E. empties
into the Sandy about 10 chns
below crossing
71.00 Big Sandy - Course N. running
water 40 lks wide bed of creek
2 chns wide
Ks timber at crossing a few
scattering willow-bushes along
the banks
80.00 Set sandstone 24X6X5 for cor.
to Tps 10 S. Rs 60 & 61 W.
Soil on bottom first rate

T. 10 S. R. 60 W.

E. along the S. boundary of Tp.
10 S. R. 60 W.
17.52 Intersect the line which forms
the W. boundary of the Indian
Reservation and set a sand-
stone 19X11X4 marked with a
cross (X) on top for a witness
corner about 30 chns S. of Big Sandy

The land along this line can most
of it be classed as good 2nd rate
except when it follows near the
top of divide between the Arkansas
and Platte Rivers when it is 3rd rate
A beautiful and fertile valley
called "Bijou Basin" is nearly
equally divided by this line
the most valuable portion
lying S. of the line
There are nine families living
on the "Basin" and much of it

Second Cor. Line South

is under cultivation
Valuable pine timber grows
in abundance on both sides
of this line for the first ten miles

May 31st 1866

First Correction Line South

From a post and mound
the established corner of Tps 37 & 38
Rs 64 & 65 W. 3 mm
E. on a true line
Variation 14° 30' E.
Survey commenced June 2 1866
40.00 Set willow post with mound
and chained stake for 1/4 sec. cor.
46.00 Dry creek course N. 63° W.
75.00 Ravine course S. W.
80.00 Set willow post with mound
and chained stake for cor to secs
31 & 32
Surface somewhat broken
No timber Soil 2d rate

40.00 Set willow post with mound
and chained stake for 1/4 sec cor
80.00 Set willow post with mound
and chained stake for cor to secs 32 & 33

We hereby certify that we assisted Wm N. Pierce duly surveyor in surveying the 7st Correction line South East thirty miles the 2nd Cor line South, East to the Indian Reservation also the Exterior lines of Tps 6.7 8.9 & 10 S. R 64 W. of Tps 6.7.8.9 & 10 S. R 63 W. & Tps 6.7.8.9 & 10 S. R 62 W of the 6th Principal Meridian in Colorado and that said surveys have been in all respects, to the best of our knowledge & belief well and faithfully performed and the boundary monuments planted according instructions furnished by the Surveyor General

R. B. Willison
Wm S Burnham
D. Lyon Witness

Chainmen

Geo H Pollard Z Filagmore

Territory of Colorado
Arapahoe County ss.

Subscribed by the above named persons and sworn to before me this 6th day of July A.D. 1866.

Eli M. Ashley
Notary Public

I William H. Pierce deputy surveyor, do solemnly swear that in pursuance of a contract with John Pierce Surveyor General of the public lands of the United States in the Territory of Colorado bearing date the 24th day of May A.D. 1866, and in strict conformity to the

laws of the United States and the instructions furnished by the Surveyor General, I have faithfully surveyed the 1st Correction S. East thirty miles the 2nd Correction S. East to the Indian Reservation & the exterior lines of Tps 6, 7, 8, 9 & 10 S. R 64 W. Tps 6, 7, 8, 9 and 10 S R 63 W. & Tps 6, 7, 8, 9 & 10 S. R 62 W. of the 6th Prin. Meridian in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such survey

William H. Pierce
Deputy Surveyor

Territory of Colorado
Arapahoe County ss

Subscribed

by said Wm H. Price
deputy surveyor and
sworn to before me this
6th day of July A.D. 1866.

Eli M. Ashley
Notary Public

Surveyor Generals office
Denver C.T. July 10th 1866

I certify that the foregoing
field notes of the survey
of the 1st Cor. Line S. E. from the
8th Guide Mer. 30 miles, the
2nd Cor Line S. East from the
8th Guide Mer. to the Indian
Reservation + the Exterior
lines of Tps 6.7.8.9 + 10 S R,
64 W. Tps. 6.7.8.9 + 10 S R 63
+ Tps. 6.7.8.9 + 10 S R 62 W, of
the 6th Prin Mer. executed
by Wm H Price under
his contract of May 24th
1866, having been critically
examined the necessary
corrections and explanations
made. the said field notes +
the surveys they describe are
hereby approved

J. Allen Pierce
Surveyor Genl

Field Notes
of the survey of the
2nd Cor Line S. East
12 miles in Ranges 5 9 & 6 0
W. & the exterior lines of
Tps. 6. 7. 8. 9 & 10 S. R 5 9 & 6 0
& Tp 11 S. R. 62 W. of the
6th Prin. Mer. in Colorado
by
William Ashley
Deputy Surveyor.

Survey commenced
Sept. 7th 1868 & completed
Sept 24th 1868.

Names & duties of
survey party

William Ashley Compass

Alfred Burrows - Chain
Redmund E. Dillon "

Lewis C. Durner Flagman

Eldridge C Rowan Boundsman
Stephen K. Pickering "

From the cor. to Tps. 10.
S. R. 60 & 61 W. on the 2nd
cor. line South 8 runs
E. on a true line along
the S. boundary of Sec 31
Va by Burts improved
Solar Compass 14° E,
40.00 Set sandstone 15 x 9 x 7
for 1/4 sec cor.
80.00 Set sandstone 15 x 12 x 6
for cor. to Secs 31 & 32,
Land rolling 2nd rate

E. along the S. boundary of
Sec 32,
Va 14° 25' E,
40.00 Set sandstone 14 x 9 x 7
for 1/4 sec cor,
65.15 Sand creek course
S. E,
80.00 Set sandstone 18 x 9 x 5
for cor. to Secs 32 & 33
Land rolling 2nd rate

2nd Cor. Line S. R 60 W.

E. along the S. boundary of Sec 33.

Va 140 20' E.

40.00 Set sandstone 14 x 12 x 4 for 1/4 Sec. cor.

80.00 Set sandstone 24 x 10 x 3 for cor. to Secs 33 & 34

Land mostly level 2nd rate

E. along the S. boundary of Sec 34

Va 14° 15' E,

9.00 Sy mound course N. 20' W.

40.00 Set sandstone 18 x 12 x 4 for 1/4 Sec. cor.

80.00 Set sandstone 16 x 12 x 4 for cor. to Secs 1, 34 & 35

Land gently rolling

E. along the S. boundary of Sec 35

Va 14° E,

40.00 Set Boulder stone 15 x

2nd Cor. Line S. R 60 W.

9 x 5 for 1/4 Sec. cor.

77.00 Creek course N.E. running water, 40 lks wide

80.00 Set sandstone 15 x 12 x 3 for cor to Secs. 35 & 36,

Land gently rolling 2d rate

E. along the S. boundary of Sec 36,

Va 14° E,

40.00 Set granite stone 15 x 8 x 7 for 1/4 Sec. cor.

76.30 Skunk run course N,

80.00 Set sandstone 14 x 12 x 8 for cor. to Tps. 10 S. R. 60 W.

Land gently rolling 2d rate

Sept 7th 1868.

E. along the S. boundary of Sec 31.

Va 14° E,

40.00 Set boulder stone 14 x 9 x 8

E. boundary T. 12. S. R. 61. W.

80.00 Set Stone 18 x 12 x 5 Iron Cr to
Cor to Secs 13. 18. 19. 24
Land rolling 2d rate

N. between Secs 13, 18
Va 14° 15' E

40.00 Set Stone 16 x 12 x 4 Iron 4 Cr Cor
80.00 Set Stone 18 x 12 x 5 Iron Cr
to Cor Secs 7. 12. 13. 18
Land rolling 2d rate

N. between Sec 7. 12
Va 14° 15' E

40.00 Set Stone 16 x 12 x 2 Iron 4 Cr Cor
80.00 Set Stone 21 x 10 x 5 Iron Cr
to Cor Secs 1. 6. 7. 12
Land rolling 2d rate

N. between Sec 1 & 6
Va 14° 15' E

40.00 Set ~~Post~~ Stone mound with

N. boundary T. 12. S. R. 61. W.

Channel Gate Iron 4 Cr Cor

80.00 Set Stone 28 x 12 x 10 Iron Cr. to
Cor. 11 & 12. S. Rs 60. 61. W.
Land rolling 3d rate
Veg. Bunch Grass & Buffalo grass Soil Sandy

From last named Cor I run
N. on a random line
along the N. boundary of T.
12. S. R. 61. W
Va 15° E

Setting temporary mile and
Half mile posts and at
5 Miles 77 lbs 10 lks intersect
W. line 18 lks N. of Cor
therefore my correction will
be 3. lks S. for mile
From this Cor. I run
E. on a true line

E. boundary T. 11. S. R. 61. W

From the Cor to Pp. 11 1/2 S
R. 3 60 r 61. W 3 mm
N. mag. line
between Secs 31 r 36
Va 14° E

40.00 Set post in mound with
chamd State Jnr 1/4 Sec Cor
80.00 Set Stone 18x12x8 Jnr Cor to
Sec 25. 30. 31 & 36
Land rolling 2d rate

N. between Sec 25 & 30
Va 14° E

40.00 Set Stone 17x17x15 Jnr 1/4 Sec Cor
80.00 Set Stone 19x16x6 Jnr Cor to
Sec 19. 24. 25 & 30
Land rolling 2d rate

N. between Sec 19 & 24
Va 14° E

40.00 Set Stone 20x16x4 Jnr 1/4 Cor

E. boundary T. 11. S. R. 61. W

80.00 Set Stone 20x16x5 Jnr Cor to
Sec 13. 18. 19 & 24
Land rolling 3d rate

N. between Sec 13 & 18
Va 14° E

40.00 Set Stone 16x15x5 Jnr 1/4 Sec Cor
80.00 Set Stone 30x20x7 Jnr Cor. to
Sec 7. 12. 13 & 18
Land rolling 3d rate

N. between Sec 7 & 12
Va 14° E

40.00 Set post in mound with chamd
State Jnr 1/4 Sec Cor
80.00 Set post in mound with chamd
State Jnr Cor to Sec 1. 6. 7 & 12
Land rolling 2d rate
Dry, Branch & Gulch

E. boundary T. 11 S. R. 61 W

N. between Sec 1 & 6

Va 14° E

40.00 Set post in mound with chained State Cor 1/4 Sec Cor

81.12 Intersect 2d Correction Line South 21 7/10 lks W. of Standard Cor. and set Stone 18 x 12 x 6 for Closing Cor. to T. 11 S. R. 61 W 6th

West

Land rolling 2d & 3d rate

Veg. Pinon & Sage grass

Soil Sandy

Aug 18, 1891

From Stand Cor. to T. 11 S. R. 59 & 60 W. on the 3d Correction Line S. From

N. on a true line between Sec 3 & 36

E. boundary T. 15 S. R. 60 W

Va 15° 30' E

40.00 Set post in mound with chained State Cor 1/4 Sec Cor

80.00 Set post in mound with chained State Cor to Sec 25, 30, 31 & 36

Land rolling 2d rate

Veg. Pinon & Sand grass

N. between Sec 25 & 30

Va 15° 30' E

40.00 Set post in mound with chained State Cor 1/4 Sec Cor

80.00 Set post in mound with chained State Cor to Sec 19, 24, 25, 30

Land rolling 2d rate

N. between Sec 19 & 24

Va 15° 30' E

40.00 Set post in mound & Cor 1/4 Sec Cor

80.00 Set post in mound with chained State Cor to Sec 13, 18, 19, 24

E. boundary T. 12. S. R. 60 W

N. between Sec 25 & 30
Va 1¼° E

40.00 Set post in mound with chgd State Cor. ¼ Sec Cor
80.00 Set Stone 19×6×3 Prs Cor to Sec 19. 24. 25 & 30
Land rolling 2d rate

N. between Sec 19 & 24
Va 14° E

40.00 Set post in mound with chgd State Cor ¼ Sec Cor
80.00 Set Stone 18×9×6 Prs Cor to Sec 13. 18. 19 & 24
Land rolling 2d rate

N. between Sec 13 & 18
Va 14° E

40.00 Set post in mound with chgd State Cor ¼ Sec Cor
45.00 Dry Creek S. 60° E

E. boundary T. 12. S. R. 60. W

80.00 Set Stone 17×8×6 Prs Cor to Sec T. 12. & 13 & 18
Land rolling 2d rate

N. between Sec T. 12 & 13
Va 14° E

40.00 Set post in mound with chgd State Cor ¼ Sec Cor
47.25 Dry Creek. Course S-E
80.00 Set Stone 18×14×8 Prs Cor to Sec 1. 6. T. & R.
Land rolling 2d rate

N. between Sec 1 & 6
Va 14° E

40.00 Set post in mound with chgd State Cor ¼ Sec Cor
80.00 Set Sand Stone 28×16×12 Prs Cor to T. 11 & 12 S. R. 59. 60 W
Land rolling 1½ - 2d rate
Veg. Brush & Prairie grass

N. boundary T. 12. S. R. 6. W.

From last named Cor. run W. on a random line along the N. boundary of Tp. 12. S. R. 60 W.

Va 14° 10' E

setting temporary mile half mile prts and at 6 miles 16 lks. inst. W. line 56 lks N. of Cor. thence from my connection will be 9 lks. S. pr. mile

From this Cor. I run E. on a true line between Sec 6 & 31

Va 14° 14' E.

41.00 Set Stone 16×10×2 prs/+ 6 obs
81.00 Set Stone 20×4×2 Grs Cor. to Sec 5-6-31-32

Land rolling 2d rate

Veg. Buffalo Pea & Prairie grass

N. boundary T. 12. S. R. 60 W.

E. between Sec 5 & 32

Va 14° 14' E

41.00 Set Stone 19×11×2 prs/+ 6 obs
80.00 Set Stone 24×12×3 prs Cor. to Sec 4. 5-32-33

Land rolling 2d rate

E. between Sec 4. 33

Va 14° 14' E

41.00 Set Stone 16×14×3 prs/+ 6 obs
80.00 Set Stone 19×12×5 prs Cor. to Sec 3. 4. 33. 34

Land rolling 2d rate

E. between Sec 3. 34

Va 14° 14' E

14.50 Dry Creek bears S. 18° E
41.00 Set Stone 17×11×3 prs/+ 6 Obs
81.00 Set Sand Stone 20×8×4 prs Cor. to Sec 2. 3. 34. 35

Land rolling 2d rate

N. boundary T. 12. S. R. 60 W

E. between Sec 2 & 35

Va 14° 14' E

13.80 Dry Creek, Comm S. 32° E.

40.00 Set Stone 19 x 5 x 4 fm ¼ Sec Cor

80.00 Set Stone 19 x 9 x 5 fm Cor to Secs 1. 2. 35 & 36

Land rolling 2d rate

E. between Sec 1 & 36

Va 14° 14' E

29.80 Dry Creek Comm S.

40.00 Set Stone 18 x 6 x 4 fm ¼ Sec Cor

80.00 The Cor to Secs 1 & 12 S Rs 59 & 60 W

Land rolling 2d rate

Veg Buffalo & Bunch grass

Aug 25, 1871

E. boundary T. 11. S. R. 60. W

× From the Cor to Secs 11 & 12 S. Rs 59 & 60. W. Comm

N. mature line

between Sec 31 & 36

Va 14° E

23.00 Ravine Comm S. E.

40.00 Set Post in mound with chs State fm ¼ Sec Cor

80.00 Set Stone 18 x 14 x 6 fm Cor to Sec 25. 30. 31 & 36

Land rolling 2d rate

N. between Sec 25 & 30

Va 14° E

40.00 Set Stone 16 x 8 x 6 fm ¼ Sec Cor

61.00 Ravine Comm S. 55° E

80.00 Set Stone 16 x 14 x 8 fm Cor to Sec 19. 24. 25 & 30

Land rolling 1st rate

Veg. Bunch grass

E. boundary T. 11. S. R. 59 W.

N. between Sec 19 : 24

Va 14° E

41.00 Set Stone 17 × 6 × 4 Jn. 1/4 Sec Cor

80.00 Set Stone 18 × 10 × 6 Pro Cor to Sec 13, 18, 19 : 24

Land rolling 2d rate

N. between Sec 13 : 18

Va 14° E

41.00 Set Pro Jn in mound with chamfered Stake Jn 1/4 Sec Cor

81.00 Set Stone 18 × 13 × 5 Pro Cor to Sec 7, 12, 13 : 18

Land rolling 2d rate

N. between Sec 7 : 12

Va 14° E

41.00 Set Stone 16 × 6 × 6 Jn. 1/4 Sec Cor

80.00 Set Stone 20 × 14 × 10 Pro Cor to Sec 1, 6, 7 : 12

Land rolling 2d rate

E. boundary T. 11, S. R. 60 W.

N. between Sec 1 : 6

Va 14° E

41.00 Set Stone 26 × 6 × 4 Jn. 1/4 Sec Cor

79.97 Intersect 2d Correction Line South 40 Chs. W.

Standard Cor. and Set Stone 26 × 17 × 5 Jn. Chas. Cor. to Tps. 11, S. Rs 59, 60 W.

Land rolling 1st & 2d rate

Veg. Buffalo Grass and Prairie grass

Aug 26. 1871

From the Standard Cor to Tps. 15 S. Rs 58 & 59 W on the 3d Correction Line South

N. on the line between Sec 31 & 36

Va 15° 15' E

260 C

Subscribed by said Jacob W Mertz
Deputy Surveyor and sworn to before
me this 19th day of Sept 1871

Orson Brooks Surveyor
United States Comr

260 D

Surveyor Generals Office
Denver C. T. Oct 21. 1871

The foregoing field notes
of survey of N. lines of
Tps. 11. S. Rs 57. 58 59. 60. 61
W. of Tps 12. 13. 14. 15. S. Rs
57. 58. 59. 60. 61. 62. W.
of Tps 16 & 17. S. Rs 59. 60.
61. 62. 63. 64 W. of Tps
18 & 19. S. Rs 59. 60. 61. 62 & 63.
W. of Tps 20. S. Rs 59 60. 61
W. of the 6th Prin. Mer.
in Colorado Ter. executed
by J. H. Mertz, dep. Sur.
under his contract of
June 14. 1871. having been
critically examined. the
necessary corrections
& explanations made.
the said field notes

260 E

and the survey they
describe are hereby
approved

Surveyor General
of Colorado

260

We hereby certify that we assisted Jacob H. Martz deputy Surveyor in surveying the exterior lines of Tps 11. S. Rs 57. 58. 59. 60. & 61. W. Tps 12. 13. 14 & 15. S. Rs 57. 58. 59 60. 61. 62. W. Tps 16 & 17. S. Rs 59. 60. 61 62. 63 & 64. W. Tps 18 & 19. S. Rs 59 60. 61. 62 63 of the 6th Prin Mer in Col. Ter and Tp 20. S. Rs 59. 60. 61. W. and that said Tps. have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted accordg to the instructions furnished by the Surveyor General.

George Chilton } Chainmen
John Laclett }
James Duckett } Axemen
Carl Bergman } Flagman

260

Subscribed and sworn to by the above named persons before me this 19th day of Sept 1871

Orson Brooks Jr
United States Comr

260B

I Jacob H. Martz Dep. Surveyor do Solemnly swear that in pursuance of a Contract with Wm H. Lewis Surveyor of the Public lands of the U. S. in the Ter. of Colorado, I have faithfully surveyed the exterior lines of Tps 11. S. Rs 57. 58 59. 60. 61 of Tps 12. 13. 14 & 15. S. Rs 57. 58 59. 60. 61 & 62 Tps 16 & 17. S. Rs 59. 60. 61. 62. 63. 64 Tps 18 & 19. S. Rs 59. 60. 61. 62. 63. & Tps 20. S. Rs 59. 60 & 61. W. of the 6th Prin Mer. in the Ter of Colorado, said Contract bearing date June 14, 1871, and said Survey being in strict conformity to the laws of the United States and the instructions of the Surveyor General, and I further Solemnly Swear that the foregoing are the true & original field Notes of such Survey

Jacob H Martz
Deputy Surveyor

Field Notes
Survey of Subdivisional
lines of Tp. 14 S. R. 60 W
of the 6th Prin. Mer.
in the Ter. of Colorado
by D. M. Christian
Dep. Sur.
under his contract Dated 14/70
Survey began Oct 4/70
Completed Oct 10. 70

Township 11 S. R. 60 W.

6	461	5	452	4	447	3	441	2	436	1	
	460		460		452		446		441		435
7	459	8	451	9	446	10	440	11	435	12	
	459		458		451		445		440		434
18	458	17	450	16	445	15	439	14	434	13	
	457		456		450		444		439		433
19	456	20	449	21	444	22	438	23	433	24	
	455		455		449		443		438		432
30	454	29	448	28	443	27	437	26	432	25	
	454		453		448		442		437		431
31	453	32	447	33	442	34	436	35	431	36	

B. 11. S. R. 60. W

(My compass being in
proper adjustment Begin
on the S. boundary of the Tp
at the Cor to Sec 35-36
and run
N. between Sec 35-36
(Va 14° E
15.00 Varies. Same S. E
40.00 Set Stone 16×15×8 In 1/4 Cor
80.00 Set Stone 19×14×5 In Cor
to Sec 25-26-35-36
Land rolling 2nd rate
Veg. Prairie & Ref. grass

E. on a random line
between Sec 25-36
(Va 14° 20' E
40.00 Set temporary 1/4 Cor
80.00 Intersect E. line of Tp &
Clks N. 1/4 Cor
from which a Cor Tree

T. 11. S. R. 60. W.
N. 89° 57' W.
on a true line
44.05 Set Sandstone 17x13x4 Ins. 1/4 Cor
80.11 The Cor to Sec 25. 26. 35. 36
Land rolling 2d rate
Veg Prairie & Buffalo grass

N. between Sec 25, 26
Va 14° E
44.11 Set Stone 16x8x4 Ins. 1/16 Sec Cor
80.11 Set Stone 17x8x6 Ins. Sec Cor
to Sec 23. 24. 25. 26
Land rolling 2d rate

E. on a random line
between Sec 24, 26
Va 14° 20' E
44.11 Set temporary 1/4 Cor
79.96 Intersect N. & S. line 23 & 24 N.
of Cor. from which Cor Bears
N. 89° 52' W.

T. 11. S. R. 60. W.
on a true line
39.98 Set Stone mound Ins. 1/4 Sec Cor
79.96 The Cor to Sec 23. 24. 25. 26
Land rolling 2d rate

N. between Sec 23, 24
Va 14° E
44.11 Set Stone 18x12x6 Ins. 1/4 Cor
80.11 Set Stone 16x8x8 Ins. Sec Cor
to Sec 13. 14. 23. 24
Land rolling 2d rate

E. on a random line
between Sec 13, 24
Va 14° 10' E
44.11 Set temporary 1/4 Cor
79.80 Intersect E. line of T. 11 S. & 1/4
S. of Cor. from which Cor Bears
S. 89° 52' W.
on a true line
89.91 Set Stone mound Ins. 1/4 Sec Cor

T. 11 S. R. 60 W

79.80 Meander to Cor 13, 14, 23, 24
Land rolling 2d rate

N. between Cor 13, 14
Va 14° E

44.111 Set Sandstone 24 x 12 x 8 for 1/4 Cor
80.111 Set Sandstone 26 x 13 x 18 for Cor to Cor 11, 12, 13, 14
Land rolling 2d rate

E. on a random line between Cor 12 & 13
(Va 14° 10' E

44.1111 Set temporary 1/4 Cor
79.97 Intersect E. line of T 11 S. of Cor 80 lks S. of Cor
from which Cor Bears S. 89° 44' W
on a true line
39.98 Set post mound 1/4 Cor
79.97 Meander to Cor 11, 12, 13, 14

T. 11 S. R. 61 W

Land rolling 2d rate
Eq. Branch grass
Oct 4, 1871

N. between Cor 11, 12
(Va 14° E

44.111 Set Stone 17 x 8 x 8 for 1/4 Sec Cor
80.111 Set Stone 18 x 12 x 4 for Cor to Cor 1, 2, 11, 12
Land rolling 2d rate

E. on a random line between Sec 1 & 12
(Va 14° 45' E

44.111 Set temporary 1/4 Cor
79.76 Intersect E. line of T 11 S. 80 lks N. of Cor.
from which Cor Bears N. 89° 55' W
on a true line
39.88 Set post mound 1/4 Cor

T. 11 S. R. 60. W. 6th

79.76 The Bn to Lcc 1. 2 11, 12
Land rolling 2d rate

N in a true line
between Lcc 1, 12
Va 14° E

4 A. 111 A. Set post in ground Fd 1/4 Cn
80.19 Intersect 2d Correction
Line S. 3. on Ch W. of
Stand. Cn. and set
Stone 20 x 18 x 12 Fd Cor. Cn
Land rolling 2d rate.
Veg. Branch & Cottonwoods

N. between Lcc 34, 35
Va 14° E

5 A. 111 A. Prairie Canon S. E.
4 A. 1111 A. Set post in ground Fd 1/4 Cn
65.50 A. Prairie Canon S. 65° E
80.00 A. Set Stone 18 x 12 x 4 Fd Cn
to Lcc 26. 27. 34, 35

T. 11 S. R. 60. W. 6th

E. on a random line
between Lcc 26 & 35
Va 14° 20' E

4 A. 11 A. Set temporary 1/4 Cn
80.20 Intersect N. W. line 18 Chs
S. of Cn. from which Cn bears
S. 89° 52' W.
on a true line
4 A. 11 A. Set Sandstone 19 x 12 x 6 Fd 1/4 Cn
80.20 The Bn to Lcc 26. 27. 34, 35
Land rolling 2d rate

N. between Lcc 26, 27
Va 14° E

15 A. 11 A. Prairie Canon S. E.
4 A. 111 A. Set Sandstone 18 x 12 x 3 Fd 1/4 Cn
84 A. 111 A. Set do 19 x 14 x 8 Fd Cn
to Lcc 22. 23. 26, 27
Land rolling 2d rate
Veg. Pine & grass

T. 11 S. R. 67 W.
6th Guide Meridian
between Sec 23, 26
(Va 14° 20' E)

40.11 Set temporary 1/4 Cor
80.40 Intersect N & S line 19 lks
S. of Cor. from which Cor bears
S. 89° 52' W
on a true line

40.20 Set post in mound 1/4 Cor
80.40 Bears to Sec 22 23 26 27
Land rolling 2nd rate
Oct 5, 1871

N. between Sec 22, 23
(Va 14° E)

40.00 Set Stone 16x15x7 1/4 Cor
80.00 Set Stone 19x16x15 for Cor
to Sec 14, 15, 22, 23
Land rolling 2nd rate
Veg. Brush, grass

T. 11 S. R. 67 W.
6th Guide Meridian
between Sec 14, 23
(Va 14° 20' E)

40.00 Set temporary 1/4 Cor
80.29 Intersect N & S line 3 lks
N. of Cor
from which Cor bears
N. 89° 59' W
on a true line

40.14 Set Sandstone 16x14x3 1/4 Cor
80.29 Bears to Sec 14, 15, 22, 23
Land rolling 2nd rate

N. between Sec 14 & 15
(Va 14° E)

40.00 Set Stone 20x12x9 1/4 Cor
80.00 Set Stone 33x26x19 for
Cor to Sec 10, 11, 14 & 15
Land rolling 2nd rate
Veg. Brush, grass

T. 11. S. R. 60. W.

E. on a gaud on line
between Cc 11 & 14
Va 14° 20' E

41.011 Set temporary 1/4 Cor
79.58 Intersect N. & S. line 28 lks
N. of Cor common to Secs.
N. 89° 48' W
on a true line
39.59 Set Stone 16x12x8 Pr. 1/4 Cc Cor
79.98 The Cor to Cc is 11.11 N
Land rolling 2d rate

N. between Cc 10 & 11
Va 14° E

41.011 Set Stone 19x12x11 Pr. 1/4 Cor
80.00 Set Stone 20x6x4 for Cor
to Cc 2.3.10 & 11
Land rolling 2d rate
Hog Branch N.E. grows

T. 11. S. R. 60. W.

E. on a gaud on line
between Cc 2 & 11
Va 14° 20' E

41.011 Set temporary 1/4 Cor
79.83 Intersect N. & S. line 7 lks
S. of Cor common to Secs
S. 89° 59' W
on a true line
39.91 Set Sandstone 17x8x6 Pr. 1/4 Cor
79.83 The Cor to Cc 2.3.10 & 11
Land rolling 2d rate

N. on a true line
between Cc 2 & 3
Va 14° E

41.011 Set post in mound Pr. 1/4 Cor
79.93 Intersect 2d. Cor. Line. S.
3.60 lks W. of Standard
and Set Stone 19x18x6
for Closing Cor.
Land rolling 2d rate

T. 11 S. R. 67 W.
N. between Sec 33, 34
Va 14° E

40.00 Set post in mound Pi/4 Ca
80.00 Set post in mound Pr Ca
to Sec 27, 28, 33, 34
Land rolling 2d rate
Oct 6, 1871

E. on a random line
between Sec 27, 34
Va 14° 20' E
18.00 Ravine Came S.
40.00 Set temporary Pi/4 Ca
80.34 Intersect N. side line 6 Clk S
of Ca Jornada Ca Dam
S. 89° 57' W
on a true line
40.17 Set post in mound Pi/4 Ca
80.34 Pile Ca to Sec 27, 28, 33, 34
Land rolling 2d rate

T. 11 S. R. 67 W.
N. between Sec 27, 28
Va 14° E

15.00 Ravine Came S. E
40.00 Set post in mound Pi/4 Ca
80.00 Set post in mound Pr
Ca to Sec 21, 22, 27, 28
Land rolling 2d rate
Veg. Prairie grass

E. on a random line
between Sec 22, 27
Va 14° 20' E
40.00 Set temporary Pi/4 Ca
80.36 Intersect N. S. line 3 Clk W
of Ca Jornada Ca Dam
N. 89° 59' W
on a true line
40.18 Set post in mound Pi/4 Ca
80.36 Pile Ca to Sec 21, 22, 27, 28
Land rolling 2d rate

T. 11 S. R. 60 E.
N. between Sec 21 & 22
Va 14° E

40.00 Set post in mound Pi & Bu
80.00 Set post in mound for Cor
to Sec 15 & 16. 21 & 22.
Land rolling 2d rate
Veg. Brush & grass

E. on a random line
between Sec 15 & 22
Va 14° 20' E

44.00 Set temporary Pi & Bu
80.06 Intersect N. & S. line 3 gl'ks
W. of Bu Jno which Bu Jno
N. 89° 45' W
on a true line
44.03 Set post in mound Pi & Bu
80.06 He Bu to Sec 15. 16. 21. & 22
Land rolling 2d rate
Veg. Brush & grass

T. 11 S. R 60 E.
N. between Sec 15 & 16
Va 14° E

40.00 Set post in mound Pi & Bu
80.00 Set post in mound for Cor
to Sec 9. 10. 15 & 16
Land rolling 2d rate

E. on a random line
between Sec 10 & 15
Va 14° E

44.00 Set temporary Pi & Bu
79.90 Intersect N. & S. line 19 gl'ks
S. of Bu Jno which Bu Jno
S. 89° 52' W
on a true line
79.95 Set post in mound Pi & Bu
79.90 He Bu to Sec 9. 10. 15 & 16
Land rolling 2d rate
Veg. Buffalo & Brush

T. 11. S. R. 6a. W

N. between Sec 9 & 10

Va 14° E

4a. 11a. Set Prin. mound Pr. 1/4 Sec

8a. 11a. Set Prin. mound Pr. Sec

to Sec 3. 4. 9 & 10

Land rolling. 2d rate

E. on a meridian line

between Sec 3 & 10

Va 14° E

4a. 11a. Set temporary 1/4 Sec

8a. 32. Intersect N. & S. line 18 lks

S. of Sec. Iron which bears Sou.

S. 69° 54' W.

on a true line

4a. 11a. Set Prin. mound Pr. 1/4 Sec

8a. 32. The Sec to Sec 3. 4. 9 & 10

Land rolling 2d rate

Veg. Buffalo grass

T. 11. S. R. 6a. W

N. on a true line

between Sec 3 & 4

Va 14° E

4a. 11a. Set Prin. mound Pr. 1/4 Sec

8a. 75. Intersect 2d Sec. line S.

3.80 lks W. of Stone Sec

and set Stone 20 x 12 x 10

for Closing Sec

Land rolling 2d rate

Veg. Buffalo, Prairie

& Bunch grass. Sub Humid

Oct 7. 18[illegible]

N. between Sec 32 & 33

Va 14° E

4a. 11a. Set Prin. mound Pr. 1/4 Sec

8a. 11a. Set Stone 16 x 14 x 6 for Sec

to Sec 28. 29. 32 & 33

Land rolling 2d rate

T. 11. S. R. 6 W. M.
E. on a random line
between Sec 28 & 33
Va 14° 20' E
44.11 Set temporary 1/4 Cor
39.76 Intersect N & S. line 3 Chs S.
from Cor. Sec. Sec 28 & 33
S. 89° 39' W.
on a true line
39.88 Set Spike in mound Pit 1/4 Cor
39.76 Pile Cu to Sec 28. 29. 32. 33
Land rolling 2nd rate

N. between Sec 28 & 29
Va 14° E
44.00 Set Sandstone 16 x 7 x 6 Pit 1/4 Cor
80.00 Set Sandstone 17 x 8 x 8 Pit Cor
to Sec 20. 21. 28. 29
Land rolling 2nd rate
Veg. Buffalo grass

T. 11. S. R. 6 W. M.
E. on a random line
between Sec 21 & 28
Va 14° 20' E
44.00 Set temporary 1/4 Cor
39.83 Intersect N & S. line 28 Chs
S. from Cor. Sec. Sec 21 & 28
S. 89° 48' W.
on a true line
39.91 Set Stone 16 x 14 x 4 Pit 1/4 Cor
79.83 Pile Cu to Sec 20. 21. 28. 29
Land rolling 2nd rate

N. between Sec 20 & 21
Va 14° E
44.00 Set Stone 13 x 6 x 4 Pit 1/4 Cor
80.00 Set Stone 20 x 7 x 5 Pit Cor
to Sec 16. 17. 20 & 21
Land rolling 2nd rate
Veg. Buffalo grass

T. 11 S. R. 60 W.
E. on a random line
between Sec 16 & 21
Va 14° 20' E
44.00 Set Pnt in temporary I/4 Cor
79.87 Intersect N. S. line 2 Elk
N. 1 Cor. from which Cor. Bears
N. 89° 55' W.
on a true line
39.93 Set Pnt in mound In I/4 Cor
79.87 The Cor to Sec 16 17 20 21
Land rolling 2d rate

N between Sec 16 & 17
Va 14° E
44.00 Set Stone 16 x 12 x 8 In I/4 Cor
80.00 Set Stone 18 x 12 x 8 In Sec
to Sec 8. 9. 16 & 17
Land rolling 2d rate
Veg. & Burf. Grass

T. 11 S. R. 60 W.
E. on a random line
between Sec 9 & 16
Va 14° 20' E
44.00 Set temporary I/4 Cor
79.96 Intersect N. S. line 18 Elk
S. 1 Cor. from which Cor. Bears
S. 89° 52' W.
on a true line
39.98 Set Stone 18 x 16 x 4 In I/4 Cor
79.96 The Cor to Sec 8. 9. 16 & 17
Land rolling 2d rate

N. between Sec 8 & 9
Va 14° E
44.00 Set Stone 20 x 12 x 12 In I/4 Cor
80.00 Set Stone 21 x 12 x 10 In Sec Cor
to Sec 4. 5. 8 & 9
Land rolling 2d rate
Veg. & Buffalo Grass

T. 11. S. R. 60. W

E. on a random line
between Sec 4 - 9
Va 14° 20' E

40.00 Set ~~post on mound~~ Jr. 1/4 Sec a
79.98 Intersect N. & S. line 9 Lks
S. of Sec Cor. marked Sec Pine
S. 89° 59' W
on a true line
39.89 Set ~~post~~ Jr. mound Jr. 1/4 Sec
79.78 The Sec to Sec 4 & 5 & 8 & 9

N. on a true line
between Sec 4 & 5
Va 14° E

40.00 Set ~~post~~ Jr. mound Jr. 1/4 Sec
80.97 Intersect 2d Cor. Line
S. 3.56 Chs W. of Stand
Sec and Set Stone 23 x
16 x 14. Jr Closing Sec
Land rolling 2d rate

Oct 8. 1871

T. 11. S. R. 61. W

N. between Sec 31, 32
Va 14° E

40.00 Set Stone 18 x 12 x 3 Jr. 1/4 Sec
80.00 Set Stone 19 x 12 x 4 Jr Sec
to Sec 29. 30. 31, 32
Land rolling 2d rate

E. on a random line
between Sec 29, 32
Va 14° 20' E

40.00 Set temporary 1/4 Sec
79.98 Intersect N. & S. line 9 Lks S
of Sec. from which Sec. Pine
S. 89° 59' W
on a true line
39.99 Set ~~post~~ Jr. mound Jr. 1/4 Sec
79.98 The Sec. to Sec 29. 30. 31, 32
Land rolling 2d rate
Veg. Buffalo grass

T. 11. S. R. 6a. W.

W. on a random line
between Secs 30 & 31
(Va 14° 20' E

40.00 Set temporary 1/4 Cor
81.30 Intersect W. line of Tp
18 lks. S. of Cor.
from which Cor Pine
S. 89° 52' E
on a true line
41.30 Set Stone 18x16x8 Pr 1/4 Cor
81.30 Pine Cor to Secs 29. 30. 31. 32
Land rolling 2d rate

N. between Secs 29. 30
(Va 14° E

40.00 Set Stone 15x12x4 Pr 1/4 Sec Cor
80.00 Set Stone 16x14x4 Pr Cor
to Secs 19. 20. 29. 30
Land rolling 2d rate

T. 11. S. R. 6a. W.

E. on a random line
between Secs 20 & 29
(Va 14° 20' E

40.00 Set temporary 1/4 Cor
80.16 Intersect N. line 12 lks
N. of Cor. from which Cor Pine
N. 89° 55' W
on a true line
41.18 Set Stone 15x15x8 Pr 1/4 Cor
80.16 Pine Cor to Secs 19. 20. 29. 30
Land rolling 2d rate

W. on a random line
between Secs 19 & 30
(Va 14° 20' E

40.00 Set temporary 1/4 Cor
79.97 Intersect W. line of Tp 17 lks
S. of Cor from which Cor Pine
S. 89° 53' E
on a true line
39.97 Set Mound Pr 1/4 Cor

T. 11. S. R. 60. W

79.97 Hebron to Sec 19. 20. 29. 30
Land rolling 2d rate

N. between Sec 19. 20
Va 14° E

40.00 Set Sandstone 17x16x4 Pt Sec
80.00 Set do 19x12x7 Hebron
to Sec 17. 18. 19. 20
Land rolling 2d rate
Veg Prof Grass

E. on a random line
between Sec 17. 20
Va 14° 20' E

40.00 Set temporary 1/4 Sec
80.26 Intersect N & S. line of Sec
S. Platte. from which Ca Cottonwood
S. 89° 57' W
80 links
40.13 Set Post in mound Pit 1/4 Sec

T. 11. S. R. 60. W

80.26 Hebron to Sec 17. 18. 19. 20
Land rolling 2d rate
Veg. Buffalo Grass

W. on a random line
between Sec 18 & 19
Va 14° 20' E

40.00 Set temporary 1/4 Sec
79.70 Intersect N. line of Pt
3 Cks S. of Sec
from which Ca. Cottonwood
S. 89° 59' E
on a true line
39.70 Set Pt in mound Pit 1/4 Sec
79.71 Hebron to Sec 17. 18. 19. 20
Land rolling 2d rate
Veg. Buffalo Grass
Oct 9. 1871

T. 11. S. R. 6a. W.

N. between Lc 17. 18

Va 14° E

44.11.11 Set Stone 16×6×4 Jn/4 Ca

80.11 Set Stone 17×8×7 Jn Ca

to Lc 7. 8. 17. 18

Land rolling 2d rate

E. on a random line

between Lc 8 & 17

Va 14° 20' E.

44.11.0 Set temporary 1/4 Ca

80.11.2 Intersect N. & S. line 38 Lks

S. of Ca.

Pine marked Ca Pine

S. 89° 44' W

on a true line

44.11.01 Set Stone 15×11×6 Jn 1/4 Ca

80.11.2 The Ca & Lc 7. 8. 17. 18

Land rolling 2d rate

T. 11. S. R. 6a. W.

N. on a random line

between Lc 7. 18

Va 14° 20' E

44.11.11 Set temporary 1/4 Ca

79.63 Intersect N. line of T.

13 Lks N. of Ca.

Pine marked Ca. Pine

N. 89° 54' E

on a true line

39.63 Set post in mound Jn 1/4 Ca

79.63 The Ca. to Lc 7. 8. 17. 18

Land rolling 2d rate

N. between Lc 7. 8

Va 14° E

44.11.0 Set Stone 19×7×6 Jn 1/4 Lc Ca

80.11.11 Set Stone 20×9×8 Jn Ca

to Lc 5. 6. 7. 8

Land rolling 2d rate

T. 11. S. R. 67. W.

E. on a random line
between Secs 5 & 8
Va 14° 20' E

40.00 Set temporary 1/4 Co
80.18 Intersect N. & S. line 3 Lks
S. of Cor. from wh. Cor. Tree
S. 89° 59' W.
on a true line
40.09 Set Mon in mound 1/4 & Co
80.18 The Cor to Secs 5. 6. 7. 8
Land rolling 2d rate

N. on a random line
between Secs 6 & 7
Va 14° 20' E

40.00 Set temporary 1/4 Co
79.36 Intersect N. line of Pf
2 Lks S. of Cor
from which Cor Tree
S. 89° 59' E
on a true line

T. 11. S. R. 67. W.

39.36 Set Stone 19x12x11 In. & Co
79.36 The Cor. to Secs 5. 6. 7. 8
Land rolling 2d rate

N. on a true line
between Secs 5 & 6
Va 14° E

40.00 Set Mon in mound 1/4 Co
80.86 Intersect 2d Correction
S. 3.20 Chs W. of Stand.
Cor. and set Stone
20x16x8 for Closing Co.
Land rolling 2d rate
Veg. Buffalo Brush
& Prairie grass
Soil Sandy
Oct 10, 1871

T. 11 S. R. 61 W
General Description

The surface of this Tp is rolling, the Eastern portion being somewhat broken by canons.

The grass is good. but there is no water

We hereby certify that we assisted William A. Christian deputy Surveyor in surveying the Subdivisional lines of Tps. 13, 14 & 15 S. Rs 63 & 64 W Tp. 12 S. R. 63 W. Tps 16 & 17 S. R. 64 W. T. 12 S. R. 62 W. Tp 11 S. Rs 60 & 61 W

and that said Tps. have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Virgil Hargrave
Harriet Virgil } Chainmen
T. Mario Montano
Vicente Cano } Flagmen

Subscribed and Sworn to by the above named persons before me a Justice of the Peace for the county of Pueblo in the Territory of Colorado this 14th day of Oct 1871

E W Stephenson (Seal)
Probate Judge & Ex officio J. P.

I William A Scudder deputy Surveyor do solemnly swear that in pursuance of a contract with H. M. Leasing, Surveyor of the Public lands of the United States in the Territory of Colorado bearing date the 14th day of June 71 and in strict conformity to the laws of the United States and the instructions furnished by the said Surveyor General, I have faithfully Surveyed the Subdivisional lines of Tps. 13. 14. 15. S. Rs 63. 64. W. Tp 12. 16 S. R. 63. W Tp 16-17. R. 64. W Tp. 12 S. R. 62 W Tp 11. S. R. 61. 61 W in the Territory aforesaid and do further Solemnly swear that the foregoing are true and Original notes of such Survey.

Subscribed by the said Mile
A. Christian Deputy Surveyor, an

Sworn to before me a Justice of
the Peace for the County of Jeffer
in the Territory of Colorado
this 14th day of Oct 1871


A. M. Hepburn
Probate Judge & Ex officio J. P.

Surveyor General's Office
Denver Col Dec 23. 1871

The foregoing field notes of Survey of Sub. Lines of Tps 13. 14. 15. S. R. 63. 64. W Tps. 12. 16. S. R. 63. W. Tps 16 & 17. S. R. 64. W. Tp 12. S. R. 62. W - Tp 11. S. R 60 & 61. W. executed by A. M. A. Christian Dep Sur. under his contract of June 14. 1871. having been critically examined the necessary corrections & alterations made, the said field notes & the surveys thereof described are hereby approved

Surveyor General
Colorado

Township No. 11 South Range No. 60. West of the 6th Principal Meridian.



23061.95 Total number of Acres.


Surveys Designated.	By whom Surveyed.	Date of Contract.	Amount of Surveys. M.	Chs.	Lks.	When Surveyed.
Townships,	Jacob H. Martz	June 14th 1871				1871.
Sub-division,	Wm A. Christian	June 14th 1871	60.	3	73.	October 4th & 10th 1871
Standard line	Wm Ashley	August 3rd 1868				1868
Connections	Wm A. Christian	June 14th 1871	0	12.	06	October 4th & 10th 1871

Scale, 40 chains to an inch.

The above Map of Township No. 11 South of Range No. 60. West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

SURVEYOR GENERAL'S OFFICE
Denver, C. T., December, 30th 1871.

Surveyor General.



Amount of Survey: Townships/lines 222 Ms 07 Chs 26 Lks
Connections " 16 " 95

Survey commenced: August 5th 1871
completed: September, 17th 1871

I hereby Certify that the above Diagram of the Exterior Lines of Townships N^os 11 South Ranges N^os 57, 58, 59, 60 & 61, of Townships N^os 12, 13, 14 & 15 South Ranges N^os 57, 58, 59, 60, 61 & 62 West of the 6th Principal Meridian in Colorado as surveyed by Jacob H. Marks under his contract of June 19th 1871 is strictly conformable to the fieldnotes of the same thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
Denver C. T. October, 21st 1871.

W. F. Tessin
Surv. Gen.

E 32
S- 13
W 32

Book 8

Field Notes
of Survey of Exterior Lines
of Tps. 11. S. Rs 57. 58. 59. 60. & 61.
of Tps's 12. 13. 14 & 15. S. Ranges
57. 58. 59. 60. & 61. & 62. of Tp's
16 & 17. S. Rs 59. 60. 61. & 62.
63 & 64, of Tps. 18 & 19. S. Rs
59. 60. 61. 62. & 63. Tp. 20
S. Rs 59. 60. & 61. W.
of the 6th Prin. Mer. in Col. Ter.
by Jacob H. Mertz
Asp. Surveyor
under Contract of June 14. 1871
Survey begun July 2. 1871
Completed Sept 17. 1871

B

Names and duties of party

W. H. Pierce } Compasszman
R. F. Willison
W. L. Fankhaun
Jno. F. Pearce
D. L. H. Whiting } Chainmen
J. S. Filzmaurice } Commoman
Leo. H. Pollard } Flagman

Second Correction Line South

Begin at a post the established
cor. to Tp's. 10 & 11 South Ranges
64 & 65 West and run
E. on astro line along the
S. line of Tp 10 S. R. 64 W.
Var. by Polar Compass 14° 50' E.
Tested the adjustment of my
compass by an observation
on the Polar Star and compared
chains with Standard
Survey commenced May 28th 1866

40.00 Set a pine post with mound &
chared stake for 1/4 sec. cor.
Enter Rock bottom
60.00 Road course N. 18° E.
67.00 Branch of Kiowa Creek course N. 30° E.
80.00 Set granite stone 19x8x5 for
cor to secs 31 & 32
Rolling prairie Soil 1st rate

A

Field Notes
of the
First & Second Correction lines South
of the
Base line
and
East of the Sixth Ute Meridian
in
Colorado Territory

William H. Pierce
Deputy Surveyor

Survey commenced May 28th-66
Survey completed June 4th-66