Township No. 12 South Range No. 60 West of the 6th Principal Meridian.



23143.19 Total number of Acres.

Scale, 40 chains to an inch.

Surveys Designated.	By whom Surveyed.	Date of Contract.	Amount of Surveys. M.	Chs.	Lks.	When Surveyed.
Township.	Jac. H. Martz	June 14th 1871				1871
Subdivision.	Wm A. Christian	July 5th 1872	60	12	69	July 16th to 21st 1872

The above Map of Township No. 12 South of Range No. 60 West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

SURVEYOR GENERAL'S OFFICE,
Denver, C. T., October 18th 1872

Surveyor General.

R.62.W. R.61.W. R.60.W. R.59.W. R.58.W. R.57.W.

2nd COR: LINE SOUTH



T. 11. S.

T. 12. S.

T. 13. S.

T. 14. S.

T. 15. S.

7th GUIDE WEST

3rd COR: LINE SOUTH

Amount of Survey Township lines 222 Mi 07 Chs 26 Lks
Connections " 16 " 95 "

Survey commenced August, 5th 1871
" completed September, 17th 1871

I hereby Certify that the above Diagram of the Exterior Lines of Township No 11 South Ranges No 57, 58, 59, 60 & 61, of Townships No 12, 13, 14 & 15 South Ranges No 57, 58, 59, 60, 61 & 62 West of the 6th Principal Meridian in Colorado as surveyed by Jacob H. Hartz under his Contract of June 14th 1871 is strictly conformable to the fieldnotes of the Survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
Denver C. T. October, 21st 1871.

W. N. Lessig
Surv. Genl.

E 32
S 15
W 32

Book 8

Field Notes
of Survey of Exterior Lines
of Tp. 11. S. Rs 57. 58. 59. 60. 61.
of Tp's 12. 13. 14 & 15. S. Ranges
57. 58. 59. 60. 61 & 62. of Tp's
16 & 17. S. Rs 59. 60. 61. 62 &
63 & 64, of Tp. 18 & 19. S. Rs
59. 60. 61. 62. 63. Tp. 20
S. Rs 59. 60. 61. W.
of the 6th Prin. Mer. in Col. Ter.
by Jacob. H. Martz
asp. Surveyor
under Contract of June 14, 1870
Survey begun July 2, 1871
Completed Sept 19, 1871

E. boundary T. 13. S. R. 61. W
State Bro Cor. to Sec 25, 31, 31, 36
Land rolling 2d rate

N. between Sec 25 & 30
Va 14° E
40.00 Set post in mound with chaned
State Bro 1/4 Sec Cor
80.00 Set post in mound with chaned
State Bro Cor. to Sec 19, 24, 25, 30
Land rolling 2d rate
Veg. Pinch & Scrub Grass

N. between Sec 19 & 24
Va 14° E
40.00 Set post in mound with chaned
State Bro 1/4 Sec Cor
80.00 Set post in mound with chaned
State Bro Cor. to Sec 18, 19, 24
Land rolling 2d rate
Veg Pinch grass

E. boundary T. 13. S. R. 61. W
N. between Sec 13 & 18
Va 14° E
40.00 Set post in mound with chaned
State Bro 1/4 Sec Cor
80.00 Set post in mound with chaned
State Bro Cor to Sec 7, 12, 13, 18
Land rolling 2d rate

N. between Sec 7 & 12
Va 14° E
40.00 Set post in mound 1/4 Sec Cor
80.00 Set post in mound with chaned
State Bro Cor. to Sec 1, 6, 7, 12
Land rolling 2d rate

N. between Sec 1 & 6
Va 14° E
40.00 Set post in mound with chaned
State Bro 1/4 Sec Cor
80.00 Set post in mound with
chaned State Bro Cor to

N. boundary T. 13. S. R. 61. W.
Th. 12 & 13. S. Rs. 60, 61. W.
Land rolling 2d & 3d rate
Veg. Pinyon & Juniper
Soil Sandy
Aug. 15, 1891

From last named Cor.
Thence
N. on a random line
along the N. boundary of
Tp. 13. S. R. 61. W.
Va 14° 45' E.
Setting temporary mile and
half mile posts and at
5 miles 77 lks. 80 lks inter-
sect W. line 33 lks N. of Cor
thence from my correction
will be 5 lks S. for mile
From this Cor. Thence
E. on a true line
between Sec 6 & 31

N. boundary T. 13. S. R. 61. W.
Va 14° 49' E
37.80 Set Stone 16x14x2 fr 1/4 Sec Cor
77.80 Set Stone 20x6x6 for Cor to
Sec 5, 6. 31, 32
Land rolling 2d & 3d rate
Soil Sandy

E. between Sec 5 & 32
Va 14° 47' E
40.00 Set Stone 20x6x4 fr 1/4 Sec Cor
80.00 Set Stone 22x14x3 for Cor to
Sec 4, 5. 32, 33
Land rolling 2d rate

E. between Sec 4, 33
Va 14° 47' E
40.00 Set Stone 24x8x3 fr 1/4 Sec Cor
80.00 Set Stone 18x14x4 for Cor to
Sec 3, 4. 33, 34
Land rolling 2d rate

N. boundary T. 13. S. R. 61. W
E. between Sec 3, 34
Va 14° 47' E
40.00 Set Stone 22x6x4 fr 1/4 Sec Cor
80.00 Set Stone 16x14x3 fr Cor
to Sec 2. 3. 34. 35
Land selling 2d rate

E. between Sec 2 & 35
Va 14° 47' E
40.00 Set Stone 19x12x3 fr 1/4 Sec Cor
80.00 Set Stone 22x10x8 fr Cor to
Sec 1. 2. 35 & 36
Land selling 2d rate

E. between Sec 1 & 36
Va 14° 47' E
40.00 Set Stone 12x12x3 fr 1/4 Sec Cor
80.00 The Cor to Tps 12. 13. S. Rs 60, 61. W
Land selling 2d & 3d rate
Reg. Vouncher Doane gone
Aug 16. 1871

E. boundary T. 12 S. R. 61. W
From the Cor. to Tps 12 & 13. S
R. 60 & 61. W. Town
N. on a true line
between Sec 31 & 36
Va 14° 15' E
40.00 Set Stone 16x15x6 fr 1/4 Sec Cor
80.00 Set Stone 20x10x5 fr Cor to
Sec 25. 30. 31 & 36
Land selling 3d rate

N. between Sec 25 & 30
Va 14° 15' E
27.70 Ravine bears S. 75° E
40.00 Set Stone 18x16x4 fr 1/4 Sec Cor
80.00 Set Stone 22x16x3 fr Cor to
Sec 19. 24. 25 & 30
Land selling 2d rate

N. between Sec 19 & 24
Va 14° 15' E
40.00 Set Stone 16x10x3 fr 1/4 Sec Cor

E. boundary T. 12. S. R. 61. W.

80.00 Set Stone 18x12x5 fro Cor to
Sec 13. 18. 19. 24
Land rolling 2d rate

N. between Sec 13. 18
Va 14° 15' E

40.00 Set Stone 16x12x4 fro 1/4 Sec Cor
80.00 Set Stone 18x12x5 fro Cor
to Sec 7. 12. 13. 18
Land rolling 2d rate

N. between Sec 7. 12
Va 14° 15' E

40.00 Set Stone 16x12x2 fro 1/4 Sec Cor
80.00 Set Stone 21x10x5 fro Cor
to Sec 1. 6. 7. 12
Land rolling 2d rate

N. between Sec 1 & 6
Va 14° 15' E

40.00 Set post in mound with

63

N. boundary T. 12. S. R. 61. W.
Chained state for 1/4 Sec Cor
80.00 Set Stone 28x12x10 fro Cor. to
Tps. 11 & 12. S. Rs. 60. 61. W.
Land rolling 3d rate
Veg. Bunch Grass & Buffalo grass Soil Sandy

From last named Cor. Govt
W. on a random line
along the N. boundary of Tp.
12. S. R. 61. W.
Va 15° E

Setting temporary mile and
half mile posts and at
5 Miles 77 lks 10 lks intersect
W. line 18 lks N. of Cor.
therefore my correction will
be 3 lks S. for mile
From this Cor. Govt
E. on a true line

E. boundary T. 13. S. R. 60. W
N. between Sec 1 & 6
Va 14° E

40.00 Set Stone 16×14×3 for 1/4 Sec Cor
61.00 Ravine Course E.
80.00 Set Stone 22×17×9 for Cor
to Sts 1 2 & 13. S. R. 59. 60. W
Land rolling 2d rate
Cov. Prairie Buffalo and
Prairie grass Soil Sandy
Aug 23. 1871

From last named Cor. I run
W. on a random line
along the N. boundary of
Tp. 13 S. R. 60. W
Va 14° 07' E
setting temporary mile and
half mile posts and at
6 Miles 2 Chs 98 lks intersect
W. line 29 lks N. of Cor

N. boundary T. 13. S. R. 61. W
therefore my correction will be
5 chs S. per mile
From this Cor. I run
E. on a true line
between Sec 6 & 31
Va 14° 09' E
42.98 Set Stone 14×12×6 for 1/4 Sec Cor
82.98 Set Stone 18×14×6 for Cor to
Sec 5. 6. 31 & 32
Land rolling 2d rate

E. between Sec 5 & 32
Va 14° 09' E
40.00 Set Stone 14×10×6 for 1/4 Sec Cor
80.00 Set Stone 17×12×4 for Cor to
Sec 4. 5. 32 & 33
Land rolling 2d rate

E. between Sec 4 & 33
Va 14° 09' E
40.00 Set Stone 14×8×4 for 1/4 Sec Cor

N. boundary T. 13. S. R. 60 W

80.00 Set Stone 20x10x6 for 1/4 Cor to
Sec 3. 4, 33, 34

Land rolling 2d rate

E. between Sec 3 & 34
Va 14° 09' E

40.00 Set Stone 16x8x4 for 1/4 Sec Cor

80.00 Set Stone 20x6x5 for Cor to
Sec 2. 3. 34 & 35

Land rolling 2d rate

E. between Sec 2 & 35
Va 14° 09' E

40.00 Set Stone 17x11x6 for 1/4 Sec Cor

80.00 Set Stone 18x14x8 for Cor
to Sec 1. 2. 35 & 36

Land rolling 2d rate

E. between Sec 1 & 36
Va 14° 09' E

38.50 Dry bed of Creek bearing E

E. boundary T. 12 S. of R. 60. W

40.00 Set post in mound with charred
stake for 1/4 Sec Cor

80.00 The Cor. to Tps. 12 & 13. South
of Rs. 59 & 60. W

Land rolling 2d rate
Veg. of much of Buffalo grass
Soil Sandy

Aug 24, 1871

From the Cor to Tps. 12 & 13. S
Rs 59 & 60. W. Down
N. on a true line
between Sec 31 & 36
Va 14° E

22.12 Dry Creek bears S. 30° E

40.00 Set post in mound with charred
stake for 1/4 Sec Cor

80.00 Set Stone 18x8x5 for Cor to
Sec 25. 30. 31 & 36

Land rolling 2d rate

E. boundary T. 12. S. R. 60 W

N. between Sec 25 & 30

Va 1.4° E

40.00 Set post in mound with chained state for 1/4 Sec Cor

80.00 Set Stone 19x16x3 for Cor to Sec 19. 24. 25 & 30

Land rolling 2d rate

N. between Sec 19 & 24

Va 14° E

40.00 Set post in mound with chained state for 1/4 Sec Cor

80.00 Set Stone 18x9x6 for Cor to Sec 13. 18. 19 & 24

Land rolling 2d rate

N. between Sec 13 & 18

Va 14° E

40.00 Set post in mound with chained state for 1/4 Sec Cor

45.00 Dry Creek S. 60° E

E. boundary T. 12. S. R. 60. W

80.00 Set Stone 17x8x6 for Cor to Sec 7. 12. 13 & 18

Land rolling 2d rate

N. between Sec 7 & 12

Va 14° E

40.00 Set post in mound with chained state for 1/4 Sec Cor

77.25 Dry Creek. Course S. E

80.00 Set Stone 18x14x8 for Cor to Sec 1. 6. 7 & 12

Land rolling 2d rate

N. between Sec 1 & 6

Va 14° E

40.00 Set post in mound with chained state for 1/4 Sec Cor

80.00 Set Sandstone 28x16x12 for Cor to Tp. 11 & 12. S. R. 59. 60 W

Land rolling 1st & 2d rate

Veg. Brush & Prairie grass

N. boundary T. 12. S. R. 60. W
From last named Cor. 7 mm
W. on a random line
along the N. boundary of
Tp. 12. S. R. 60. W
Va 14°10' E
setting temporary mile &
half mile posts and at
6 miles 1 ch. intersect
W. line 56 lks N. of Cor
therefore my correction
will be 9 lks. S. per mile
From this Cor 7 mm
E. on a true line
between Sec 6 & 31
Va 14°14' E
41.00 Set Stone 16×11×2 fm/x 6 cbu
81.00 Set Stone 20×4×2 for Cor
to Sec 5. 6. 31 & 32
Land rolling 2d rate
Veg. Buffalo & Brush 7 mm

N. boundary T. 12. S. R. 60 W
E. between Sec 5 & 32
Va 14°14' E
40.00 Set Stone 19×11×2 fm/x 6 cbu
80.00 Set Stone 24×12×3 for Cor. to
Sec 4. 5. 32 & 33
Land rolling 2d rate

E. between Sec 4 & 33
Va 14°14' E
40.00 Set Stone 16×14×3 fm/x 6 cbu
80.00 Set Stone 17×12×5 for Cor to
Sec 3. 4. 33 & 34
Land rolling 2d rate

E. between Sec 3 & 34
Va 14°14' E
14.50 Dry Creek bears S. 18° E
40.00 Set Stone 17×11×3 fm/x 6 cbu
80.00 Set Sand Stone 20×8×4 for
Cor to Sec 2. 3. 34 & 35
Land rolling 2d rate

N. boundary T. 12. S. R. 60. W
E. between Sec 2 & 35
Va 14° 14' E

13.80 Dry Creek, Comm S. 32° E
40.00 Set Stone 19 x 5 x 4 for 1/4 Sec Cor
80.00 Set Stone 19 x 9 x 5 for Cor to
Sec 1. 2. 35 & 36
Land rolling 2d rate

E. between Sec 1 & 36
Va 14° 14' E

29.80 Dry Creek Comm S.
40.00 Set Stone 18 x 6 x 4 for 1/4 Sec Cor
80.00 The Cor to Secs 1 & 12 & 13
Rs 59 & 60. W
Land rolling 2d rate
Veg Buffalo Punch and
Sand grass
Aug 25, 1871

E. boundary T. 11. S. R. 60. W
× From the Cor to Secs 11 & 12
S. R's 59 & 60. W. Comm
N. meander line
between Sec 31 & 36
Va 14° E

23.00 Ravine Comm S. E.
40.00 Set post in mound with chs
State for 1/4 Sec Cor
80.00 Set Stone 18 x 14 x 6 for Cor to
Sec 25. 30. 31 & 36
Land rolling 2d rate

N. between Sec 25 & 30
Va 14° E

40.00 Set Stone 16 x 8 x 6 for 1/4 Sec Cor
61.00 Ravine Comm S. 55° E
80.00 Set Stone 16 x 14 x 8 for Cor
to Sec 19. 24. 25 & 30
Land rolling 1st rate
Veg. Punch grass

60

We hereby certify that we assisted Jacob H. Mattly deputy Surveyor in Surveying the exterior lines of Tps 11. S. Rs 57. 58. 59. 60 & 61. W. Tps 12. 13. 14 & 15. S. Rs 57. 58. 59 60. 61. 62. W. Tps 16 & 17. S. Rs 59. 60. 61 62. 63 & 64. W Tps 18 & 19. S. Rs 59 60. 61. 62. 63 of the 6th Prin Me. and Tp 20. S. Rs 59. 60. 61. W. in Col. Ter and that said Tps. have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

George Holton } Chainman
John Laclett }
James Duckett } Axeman
60 Carl Beckman } Flagman

60A

Subscribed and sworn to by the above named surveyor before me this 19th day of Sept. 1871

Wm Brooks Jud
United States Comr

60B

I, Jacob H. Marty, dep. surveyor do solemnly swear that in pursuance of a contract with Wm H. Levings, surveyor of the Public lands of the U. S. in the Ter. of Colorado, I have faithfully surveyed the exterior lines of Tps 11, S. Rs 57, 58, 59, 60, 61 of Tps 12, 13, 14 & 15. S. Rs 57, 58, 59, 60, 61, 62 Tps 16 & 17. S. Rs 59, 60, 61, 62, 63, 64 Tps 18 & 19. S. Rs 59, 60, 61, 62, 63, & Tp 20. S. Rs 59, 60 & 61. W. of the 6th P. M. in the Ter of Colorado do, said contract bearing date June 14, 1871, and said survey being in strict conformity to the laws of the United States, and the instructions of the surveyor General, and I further solemnly swear that the foregoing are the true & original field notes of such survey

Jacob H. Marty
Deputy Surveyor

16 C

Subscribed by said Jacob H Martz Deputy Surveyor and sworn to before me this 19th day of Sept 1871

Orson Brooks Seal
United States Com

260 D

Surveyor Generals Office
Denver C. T. Oct 21. 1871

The foregoing field notes of survey of Tp. lines of Tps. 11. S. Rs 57. 58 59. 60, 61 W. of Tps 12, 13. 14. 15. S. Rs 57. 58. 59. 60. 61, 62. W. of Tps 16 & 17. S. Rs 59. 60. 61, 62. 63, 64 W. of Tps 18 & 19. S. Rs 59. 60. 61. 62. 63. W. of Tps 20. S. Rs 59. 60. 61 W. of the 6th Prin. Mer. in Colorado Ter. executed by J. H. Martz, dep. Sur. under his contract of June 14. 1871. having been critically examined, the necessary corrections & explanations made, the said field notes

il 260 E

and the surveys they describe are hereby approved

Surveyor General
P Colorado

Tp 12 S. R. 60

Tp 12 S. R. 60

Field notes of the survey of the subdivisional lines of Tp 12. S. R. 60 West of the 6th Principal Meridian in Colorado

Surveyed by
Wm A. Chrisman Dep Sur
under his Contract of July 5/72

Survey began July 16th 1872
" Completed " 25th 1872.

Tp 12 S R. 60

Township 12 S. R. 60 W

6	317	5	309	4	303	3	298	2	292	1	
	316		316		308		303		297		292
7	315	8	308	9	302	10	297	11	291	12	
	315		314		307		302		296		291
18	314	17	307	16	301	15	296	14	290	13	
	313		313		306		301		295		290
19	312	20	306	21	300	22	295	23	289	24	
	312		311		305		300		294		289
30	311	29	305	28	299	27	294	26	288	25	
	310		310		304		299		293		287
31	309	32	304	33	298	34	293	35	287	36	

Tp 12. S. R. 60

Thy Compass being in proper adjustment I begin on the South boundary of the Tp at the Cor to Secs 35 & 36 & run

N. bet Secs 35 & 36,
Va 14° 0 0' E,

2530	Dry bed of Creek Course S.E.
4000	Boulder 19x16x7 for 1/4 Cor
5000	Set Stone 24x19x15 for Cor to Secs 25, 26, 35 & 36,
	Sec Line Trees 12" rali
	Ty Prairie & Bunch grass
	Soapweed & Cactus.

E on true line bet Secs 25 & 36
Va 14° E.

4040	Set Comp 1/4 Sec Cor
5890	Dry bed of Creek Course S.E.
6015	Intersect E line of Tp 9 Ucs N. of Cor. from which Cor Drns

Tp 12 S. R. 6 D

N. 89°56' W.

on a true line

4007 Set Pt 211 for 1/4 Sec Cor

8015 The Cor to Secs 25.26.35 & 36

Land Fully Very same

N. bet Secs 25 & 26

Va 14°05' E.

4000 Set Boulder 17x15x2 for 1/4 Cor

4917 Dry bed of Creek. Course S.E.

8000 Set Stone 24x20x16 for Cor

to Secs 23.24.25 & 26

Land Fully

Very Same

Tp. 12. S. R. 6 E

E. on run line bet Secs 24 & 25.

Va 14° E.

4000 Set Lump 1/4 Sec Cor

8005 Intersect E. line of Tp 7 chs W

of Cor from which Cor Drum

N 89°57' W. on a true line

4002 Set Stone 17x16x9 for 1/4 Sec Cor

8005 The Cor to Secs 23.24.25.26.

Land Fully. Very same

N. bet Secs 23 & 24

Va 14°05' E.

4004 Set Stone 17x16x10 for 1/4 Sec Cor

8000 Set Stone 20x19x17 for Cor

to Secs 13.14.23 & 24

Land Fully. Very same

Tp 12. S. R. 60.

E on run line bet Secs 13 & 24
Va 14° E.

4000 Set temp 1/4 Sec Cor
8018 Intersect E line of Tp 10 chs S of
Cor from which Cor Drum
S. 89°56' W.
on a true line

4009 Set Sand Stone for 1/4 Sec Cor
8018 The Cor to Secs 13.14.23 & 24
Land Tully Very Dense

N. bet Secs 13 & 14
Va 14°05' E.

4000 Boulder 17x16x14 for 1/4 Cor
6517 Dry bed of Creek Comes S.E.
8000 Set Stone 20x16x14 for Cor to
Secs 11.12.13 & 14
Land Tully
Very Dense

Tp 12. S. R. 60

E. on run line bet Secs 12 & 13
Va 14° E.

4000 Set temp 1/4 Sec Cor
8022 Intersect E. line of Tp 7 chs N.
of Cor from which Cor Drum
N. 89°57' W.
on a true line

4011 Set Stone 16x14x14 for 1/4 Sec Cor
8022 The Cor to Secs 11.12.13 & 14
Land Tully Very dense

N. bet Secs 11 & 12
Va 14°05' E.

4000 Set boulder 17x16x12 for 1/4 Cor
8000 Set Stone 20x19x16 for Cor to
Secs 1.2.11.12.
Land Tully. Very dense

E on run line bet Secs 1 & 12
Va 14° E.

37.40 Dry bed of Creek S.E.
40.00 Set Stone 1/4 Sec Cor
80.32. Intersect E. line of Tp 17 ctks S. of Cor. from which Cor I run S. 89° 53' W. on true line
40.16 Set P & M for 1/4 Sec Cor
80.32 The Cor to Secs 1.2.11 & 12
Land Hilly. Very Dense

N on run line bet Secs 1 & 2
Va 14° 05' E.

22.00 Dry bed of Creek bears S E
40.00 Set Stone 1/4 Sec Cor
80.40 Intersect N. line of Tp 13 ctks W of Cor from which Cor I run S 6° 6' W on true line
40.40 Set P & M. for 1/4 Sec Cor
80.40 The Cor to Secs 1.2.11 & 12.
July 16th 1872.

Tp 12. S. R 60

N. bet Secs 34 & 35
Va 14° 05' E.

40.00 Set Stone 17x16x10 for 1/4 Sec Cor
71.23 Dry bed of Creek bears S.E.
80.00 Set Stone 20x13x12. for Cor to Secs 26.27.34 & 35
Surface hilly Very Dense

E on run line bet Secs 26 & 35
Va 14° E.

40.00 Set Stone 1/4 Sec Cor
79.86 Intersect N & S. line 4 ctks N of Cor from which Cor I run N. 89° 58' W.
on a true line
39.93 Set Stone 16x15x7 for 1/4 Sec Cor
79.86 The Cor to Secs 26.27.34 & 35
Land hilly. Very Dense

A bet Secs 26 & 27
Va 14° 05' E.

4000 Boulder 18x12x11 Fr 1/4 Sec Cr
8000 Set Stone 17x16x13 Fr Cr to Secs
22.23.26 & 27
Land Tilly. Dry same

Course run bet Secs 23 & 26.
Va 14° E.

4000 Set Corp 1/4 Sec Cr
6321 Dry bed of Creek S.E.
7994 Intersect A & B line 5 lks S. of
Cr from which Cr Drns
S. 84° 58' W.
on a true line
3997 Set Stone 13x12x7 Fr 1/4 Cr
7994 The Cr to Secs 22.23.26.27
Land Tilly. Dry Same

Tp 12. S. R. 60

A bet Secs 22 & 23.
Va 14° 05' E.

40.00
4000 Stone 15x14x7 Fr 1/4 Sec Cr
87.13
87.13 Dry bed of Creek S.E.
65.31
6531 Same S.
71.27
7127 Same S.E.
80.00
8000 Set Stone 21x17x13 Fr Cr to Secs
14.15.22 & 23.
Land Tilly Dry same

Course run bet Secs 14 & 23.
Va 14° E.

40.00
4000 Set Corp 1/4 Sec Cr
79.92
7992 Intersect A & B line 7 lks S. of Cr
from which Cr Drns
S. 89° 57' W on true line
39.96
3996 Set Stone 18x12x8 Fr 1/4 Sec Cr
79.92
7992 The Cr to Secs 14.15.22 & 23.
Land Tilly Dry Same

N. bet Secs 14 & 15
Va 14° 05' E.

4000 Set Stone 13x12x7 for 1/4 Sec Cor
8000 " " 21x15x9 for Cor to Secs
10, 11, 14 & 15
Land Hilly Dry same

E on range line bet Secs 11 & 14
Va 14° E.

2317 Dry bed of Creek
4000 Set temp 1/4 Sec Cor
7980 Intersect N & S line 9.1 chs N. of
Cor from which Cor Drum
N. 89° 56' W.
on true line

3990 Set P & M for 1/4 Sec Cor
7980 The Cor to Secs 10, 11, 14 & 15
Land Hilly. Dry same

T. 12. S. R. 60

~~E on range line bet Secs 11 & 14~~
~~0~~

N bet Secs 10 & 11
Va 14° 05' E.

15.30
1530 Dry bed of Creek S.E.
40.00
4000 Stone 17x13x6. for 1/4 Sec Cor
80.00
8000 " 21x17x10 for Cor to Secs
2. 3. 10 & 11
Land Hilly Dry Same

E. on range line bet Secs 2 & 11
Va 14° E.

40.00
4000 Set temp 1/4 Sec Cor
79.72
7972 Intersect N & S line 4 chs N. of Cor
from which Cor Drum
N. 89° 58' W. on true line

39.86
3986 Set P & M. for 1/4 Sec Cor.
79.72
7972 The Cor to Secs 2. 3. 10 & 11
Land Hilly 2° rock
Dry same

A on ran line bet Secs 2 & 3.
Va 14°.05' E.

4000 Set temp 1/4 Sec Cor
8007 Intersect A. line of Tp 9 Lks E. of
Cor from which Cor Drns
S 0°.4' E. on true line

4007 Set P & M. for 1/4 Sec Cor
8007 The Cor to Secs 2.3.10 & 11
Land Tilly. 2nd rate Very same
July 7th 1872

A. bet Secs 33 & 34
Va 14°.05' E.

4000 Set Stone 19x16x10 for 1/4 Sec Cor
6970 Dry bed of Creek bears E.
8000 Set Stone 23x16x12. for Cor to
Secs 27.28.33 & 34
Land Tilly 2nd rate. Very same

E on ran line between Secs 27 & 34
Va 14° E.

40.00
4000 Set temporary 1/4 Sec Cor
80.18
8018 Intersect A & S. line 7 Lks S. of Cor
from which Cor Drns
S. 89°.57' W.
on a true line

40.09
4009 Set P & M for 1/4 Sec Cor
80.18
8018. The Cor to Secs 27.28.33 & 34
Land Tilly 2nd rate Very same

A. bet Secs 27 & 28
Va 14°.05' E.

40.00
4000 Set Stone 17x16x10 for 1/4 Sec Cor
80.00
8000 Set Stone 24x20x17 for Cor to Secs
21.22.27 & 28
Land Tilly 2nd rate
Very same

E on run line bet Secs 22 & 27
Va 14° E.

4000 Set Temp 1/4 Sec Cor
8013 Intersect A & B. line 4 lks A. of
Cor. from which Cor Drum
A. 89° 58' N.
on a true line

4006 Set Stone 16x14x7 for 1/4 Sec Cor
8013 The Cor to Secs 21. 22. 27 & 28
Land hilly 2nd rate. Very same

A. bet Secs 21 & 22.
Va 14° 05' E.

4000 Set Stone 17x16x13 for 1/4 Cor
8000 " " 22x19x15 for Cor to
Secs 15. 16. 21 & 22.
Land hilly 2nd rate. Very same

T. 12. S. R 60

E on run line bet Secs 15 & 22.
Va 14° E.

3417 Dry bed of Creek bears S.E.
4004 Set temporary 1/4 Sec Cor
8027 Intersect A & B. line 7 lks S. of Cor
from which Cor Drum
S. 89° 57' N.
on a true line

4013. Set P & M for 1/4 Sec Cor
8027 The Cor to Secs 15. 16. 21 & 22.
Land hilly 2nd rate Very same

A. bet Secs 15 & 16
Va 14° 05' E.

4000 Set Stone 19x16x11 for 1/4 Sec Cor
6610 Dry bed of Creek bears S E.
8000 Set Stone 19x18x13. for Cor to
Secs 9. 10. 15 & 16.
Land hilly 2nd rate
Very Same

E on run line bet Secs 10 & 15
Va 14° E.

4000 Set temp 1/4 Sec Cor
8006 Intersect A & B. line 4 lks S. of
Cor. from which Cor I run
S. 89° 58' W.
on a true line

4003 Set P & M. for 1/4 Sec Cor
8006 The Cor to Secs 9, 10, 15 & 16.
Land fully 2nd rate. Very same

A. bet Secs 9 & 10.
Va 14° 05' E.

4000 Set Stone 16x13x9 for 1/4 Cor
8000 " " 20x16x13 for Cor to Secs
3. 4. 9. 10.
Land fully 1st rate
Very Same

Tp 12. S. R. 60

E. on run line bet Secs 3 & 10
Va 14° E.

3900 Dry bed of Creek Course S.E.
4000 Set temporary 1/4 Sec Cor
8034 Intersect A & B. line 7. lks S. of Cor
from which Cor I run
S. 89° 57' W.
on a true line

4017 Set P & M for 1/4 Sec Cor
8034 The Cor to Secs 3. 4. 9. 10.
Land fully 2nd rate. Very Same

A on run line bet Secs 3 & 4
Va 14° 05' E.

4000 Set temporary 1/4 Sec Cor
8020 Intersect A. line of Tp 17 lks W.
of Cor from which Cor I run
S. 0° 7' W. on true line

4020 Set post in Md for 1/4 Sec Cor
8020 The Cor to Secs 3. 4. 9. 10.
Land fully 2nd rate Very same
July 18th 1872.

N. bet Secs 32 & 33.
Va 14° 05' E.

4000 Set Stone 17x16x9 for 1/4 Sec Cor
8000 Set Stone 21x17x11 for Cor to Secs
28.29.32 & 33.
Land hilly 2d rate. Very Dense

Con run line bet Secs 28 & 33.
Va 14° E.

1100 Dry bed of Creek bears S.E.
4000 Set Corner 1/4 Sec Cor
6970 Dry bed of Creek bears S.E.
10018 Intersect N & S. line 11 chs S. of
Cor from which Cor Drum
S. 89° 55' W.
on a true line

4009 Set Pt Mts for 1/4 Sec Cor
8018 The Cor to Secs 28.29.32 & 33.
Land hilly
Very Dense

Tp 12. S. R. 60
N. bet Secs 28 & 29.
Va 14° 06' E.

4.00 Dry bed of Creek S.E.
4000 Set Stone 17x16x7 for 1/4 Sec Cor
6817 Dry bed of Creek bears S.E.
8000 Stone 19x17x11 for Cor to Secs
20.21.28 & 29.
Land hilly 2d rate. Very Dense

Con run line bet Secs 21 & 28
Va 14° E.

[illegible]00 Set temporary 1/4 Sec Cor
7992 Intersect N & S. line 11 chs N. of Cor
from which Cor Drum
N 89° 55' W.
on a true line

3996 Set Pt Mt. for 1/4 Sec Cor
7992 The Cor to Secs 20.21.28 & 29.
Land hilly 2d rate
Very Dense

A. bet Secs 20 & 21
Va 14° 05' E.

4000 Set Stone 17x13x9 for 1/4 Sec Cor
8000 " " 19x17x11 for Cor to Secs
16. 17. 20 & 21.
Land fully pr rate. Very same

E on run line bet Secs 16 & 21
Va 14° E.

4000 Set temp 1/4 Sec Cor
7992 Intersect A & B. line 13 lks S. of
Cor from which Cor Drum
S. 89° 54' W.
on true line

3996 Set Pot M for 1/4 Sec Cor
79.92 The Cor to Secs 16. 17. 20 & 21
Land fully 2nd rate Very same

Tp 12. S. R. 60

A. bet Secs 16 & 17
Va 14° 05' E.

4000 Set Stone 19x16x13. for 1/4 Sec Cor
6913 Dry bed of Creek. bears S.E.
8000 Set Stone 21x16x10 for Cor to Secs
8. 9. 16 & 17.
Land fully 2nd rate. Very same

E. bet Secs 9 & 16 on run line
Va 14° E.

4000 Set post in Mound for temp 1/4 Cor
5517 Dry bed of Creek bears S.E.
7992 Intersect A & B. line 13 lks S. of Cor
from which Cor Drum
S. 89° 54' W.
on a true line

3991 Set Pot M for 1/4 Sec Cor
79.92 The Cor to Secs 8. 9. 16 & 17
Land fully 2nd rate. Very same

A. bet Secs 8 & 9.
Va 14° 05' E.

39.24 Dry bed of Creek bears S.E.
40.00 Set Stone 17x15x13. for 1/4 Sec Cor
80.00 Set Stone 21x19x7 for Cor to Secs 4.5.8 & 9.
Land Hilly 2nd rate. Veg same

E on run line bet Secs 4 & 9
Va 14° E.

40.00 Set temporary 1/4 Sec Cor
79.80 Intersect A & B line 7 lks S. of Cor from which Cor Drum
S. 89° 57' W.
on a bee line
39.90 Set post & Mound for 1/4 Sec Cor
79.80 The Cor to Secs 4.5.8 & 9.
Land Rolling 2nd rate. Veg same

Tp 12. S. R. 60

A on run line bet Secs 4 & 5.
Va 14° 05' E.

40.00 40.00 Set temporary 1/4 Sec Cor
80.13 80.13 Intersect A line of Tp 11 lks E. of Cor. from which Cor Drum
S 0° 5' ~~W~~ E.
on a bee line
40.13 40.13 Set Stone 17x15x9. for 1/4 Sec Cor
80.13 80.13 The Cor to Secs 4.5.8 & 9.
Land Hilly 2nd rate. Veg same
July 19th 1872.

A. bet Secs 31 & 32.
Va 14° 05' E.

40.00 40.00 Set P & M. for 1/4 Sec Cor
80.00 80.00 Set P & M. for Cor to Secs 29.30.31 & 32.
Land Rolling 2nd rate
Veg Same

E. on run line bet Secs 29 & 32.
Va 14° E.

4000 Set Temp 1/4 Sec Cor

8018 Intersect N & S. line 11 chs N. of Cor from which Cor Drn N 89°55' W.
on a true line

4009 Set P & M for 1/4 Sec Cor

8018 The Cor to Secs 29.30.31 & 32.
Land Rolling 2nd rate Veg Same

N on run line bet Secs 30 & 31
Va 14° E.

4000 Set Temp 1/4 Sec Cor

8265 Intersect N. line of Tp 11 chs S of Cor from which Cor Drn S. 89°55' E. on true line

4265 Set P & M for 1/4 Sec Cor.

8265 The Cor to Secs 29.30.31 & 32
Land rolling 1st rate
Veg same

N. bet Secs 29 & 30,
Va 14°45' E.

14.17 Dry bed of Creek bears E.

4000 Set P & M. for 1/4 Sec Cor

8000 " " " " Cor to Secs
19.20.29.30,
Land rolling 1st rate Veg Same

E on run line bet Secs 20 & 29
Va 14° E.

4000 Set Temp 1/4 Sec Cor

6514 Dry bed of Creek bears S.E.

8016 Intersect N & S. line 13 chs S. of Cor from which Cor Drn S. 89°54' W.
on true line

4008 Set P & M. for 1/4 Sec Cor

8015 The Cor to Secs 19.20.29.30.
Land Rolling 2nd rate Veg Same

	N. on ran line bet Secs 19 & 30
	Va 14° E.
40.00	Set line p 1/4 Sec Cor
82.32	Intersect N. line of T/p 13 lks N
	of Cor from which Cor Drawn
	N 89°54' E.
	on true line
42.32	Set P & M. for 1/4 Sec Cor
82.32	The Cor to Secs 19.20.24.30.
	Land rolling 2nd rate. Very Dense
	N bet Secs 19 & 20
	Va 14°05. E
40.00	Set P & M for 1/4 Sec Cor
80.00	" " " " Cor to Secs
	17.18.19.20
	Land hilly Very Dense
	July 20th 1872.

T 12. S. R. 60,

	E on ran line bet Secs 17 & 20,
	Va 14° ~~0~~ E.
40.00	Set line p 1/4 Sec Cor
80.12	Intersect N & S. line 9 lks N. of
	Cor from which Cor Drawn
	N. 89°56' W.
	on a true line
40.06.	Set P & M. for 1/4 Sec Cor
80.12	The Cor to Secs 17.18 19.20
	Land rolling 1st rate. Very Dense
	N on ran line bet Secs 18 & 19.
	Va 14° E.
40.00	Set line p 1/4 Sec Cor
81.97	Intersect N. line of T/p 13 lks S.
	of Cor from which Cor Drawn
	S. 89°54' E. on true line
41.97	Set P & M. for 1/4 Sec Cor
81.97	The Cor to Secs 17.18.19.20.
	Land Rolling 1st rate
	Very Dense

	N. bet Secs 17 & 18
	Va 14° 45' E.
40.00	Set P & M for 1/4 Sec Cor
80.00	" " " Cor to Secs
	7.8.17 & 18
	Land hilly Very same
	E on run line bet Secs 8 & 17
	Va 14° E.
40.00	Set Comp 1/4 Sec Cor
64.37	Dry bed of Creek bears S E.
80.23	Intersect N & S line 11 lks S. of
	Cor from which Cor Drum
	S. 89° 55' W.
	on a true line
40.11	Set P & M for 1/4 Sec Cor
80.23	The Cor to Secs 7.8.17 & 18
	Land hilly 1st rate
	Very Same

Vol 12. S. R. 60.

	W. on run line bet Secs 7 & 18
	Va 14° E.
40.00	Set Comp 1/4 Sec Cor
81.68	Intersect W. line 13 lks S. of Cor from which Cor Drum S. 89° 54' E.
	on true line
41.68	Set P & M. for 1/4 Sec Cor
81.68	The Cor to Secs 7.8.17 & 18
	Land rolling 1st rate Very same
	N bet Secs 7 & 8
	Va 14° 30' E.
40.00	Set P & M. for 1/4 Sec Cor
59.32	Dry bed of Creek S.E.
80.00	Set P & M. for Cor to Secs 5.6.7.8.
	Land rolling 1st rate

E on range line bet Secs 5 & 8
Va 14° E.

40.00 Set temp 1/4 Sec Cor
57.29 Dry bed of Creek S E
80.31 Intersect N & S line 13 lks S.
of Cor from which Cor Drum
S. 89° 54' W.
on true line
40.15 Set P & M. for 1/4 Sec Cor.
80.31 The Cor to Secs 5.6.7.8
Land rolling 1st rate Very Same

N. on range line bet Secs 6 & 7
Va 14° E.

37.17 Dry bed of Creek Course S E.
40.00 Set temp 1/4 Sec Cor
81.35 Intersect N. line 13 lks S. of
Cor from which Cor Drum
S. 89° 54' W. on true line
41.35 Set P & M. for 1/4 Sec Cor
81.35 The Cor to Secs 5.6.7.8.

Tp 12 S. R. 60

N. on range line bet Secs 5 & 6.
Va 14° 05' E.

40.00 Set temp 1/4 Sec Cor
80.14 Intersect N. line of Tp 7 lks E.
of Cor from which Cor Drum
S 0° 3' E.
on true line
40.14 Set P & M. for 1/4 Sec Cor
80.14 The Cor to Secs 5.6.7.8
Land rolling 2nd rate Very Same

July 21st 1872.

General Description

The surface of this Tp is hilly
The vegetation consisting of
a good quality of Bunch and
Prairie grass with Cactus Sage
& Scrub wood. is about the same
throughout the Tp.
No water or timber in this
Tp.

I, William A. Christian deputy
surveyor do solemnly swear that
in pursuance of a contract with
William A. Leonard Surveyor of
the public lands of the United
States in the Territory of Colorado
bearing date the 7 day of July
1872. and in strict conformity
to the laws of the United States
and the instructions furnished
by the said Surveyor General,
I have faithfully surveyed the
subdivisional lines of the
11 South Ranges 57. 58. 59. Tps 12
South Ranges 57. 58. 59. 60 & 61
W Tp 13 S. R. 57 W.
and do further solemnly swear
that the foregoing are the true and
original field notes of such survey.

William A. Christian
Deputy Surv

[illegible]

4th

Sept

G W Hefburn (Seal)
Probate Judge & Ex officio J P

Whereas certain [illegible]
[illegible] Plaintiff [illegible] adjust
[illegible] in [illegible] the
Subdivision [illegible]

1.4.

and [illegible]
[illegible]
[illegible]
[illegible]
planted association [illegible]
[illegible]
[illegible]
Juan Jesus Gabez } Chairman
Dolores Leon }
Solomon Dawson Secretary
Angel B Gauges Flagman

Subscribed and sw[illegible]
[illegible]
be
[illegible]
blo in the Territory
[illegible] 4th
[illegible] Sept

G. M. Hoffman
Probate Judge & Ex officio J.P.

Surveyor General's Office
Denver C.T. Oct 8th 1872

The foregoing field notes of the survey of the subdivisional lines of Tps 11 South of Ranges 57, 58 & 59 Tp 12 S Rgs 57, 58, 59, 60 & 61, & Tp 13 S R. 57 W. executed by Wm. A. Christian D.S. under his Contract of July 5th 1872. having been critically examined the necessary corrections & explanations made the said field notes & the surveys they describe are hereby Approved

Surveyor General
of Colorado