


Township No. 14 South Range No. 64. West of the 6th Principal Meridian.



23125.20 Total number of Acres.

Scale, 20 chains to an inch.

Survey Designated.	By whom Surveyed.	Date of Survey.	Amount of Survey.	When Surveyed.
Township.	C. A. Deane	June 10 th 1867		1867
Sub-division.	W. A. Christian	June 14 th 1891	60 - 09 - 01	July 17 th to 22 nd 1891
Standard line.	Joel E. Hendricks	August 10 th 1861.		1861.


The above Map of Township No. 14. South of Range No. 64. West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

SURVEYOR GENERAL'S OFFICE,

Denver, C. T. December, 30th 1891

W. A. Christian
Surveyor General.

BOOK 6




408. M. 15 Ch. 36. 1. 1. 1.

I do hereby certify that the above diagram of the exterior limits of
the sheep 12, 13, 14, 15 South, Ranges 64-65 West of the Sixth Prin-
ciple in Colorado as surveyed by Col. A. T. Case under his con-
tract dated June 10th 1867 is strictly conformable to the field notes of
the survey stored on file in this Office, which have been examined
and approved

Surveyor General's Office
Denver July 10th 1867

J. D. Loring
Sur^r Gen^l



BOOK 1

I hereby Certify that the above Diagram of the 8th Guide Meridian West of the 6th Principal Meridian Between the 2nd and 3rd Standard Parallel South as surveyed by Joel E. Hendricks under his Contract dated August 12th 1861 is in strict conformity to the Original approved field notes on file in this Office

Surveyor General's Office
Denver City. Oct 3rd 1861

Wm. A. McLean
Sur. Genl. of Colorado T. y.

BUREAU OF LAND MANAGEMENT

COLORADO

RECTANGULAR SURVEY INDEX

PRINTED: 02/24/76

BOUNDARY	TOWNSHIP 14 VOLUME	SOUTH		RANGE 64		WEST		SURVEY	CERTIFICATE	TYPE	CONTRACT	ISSUED OR	-SIXTH PRIN MER		SURVEYOR OR REMARKS
		INTRODUCTION		FROM	TO	FROM	TO						OR GROUP	APPROVED	
NORTH	RC	1	2	64	64	146	150	ORG	1	08/12/1861	1861	10/01/1861	J E HENDRICKS		
NORTH	R-A	10	10	12	17	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE		
SOUTH	RC	1	2	68	68	146	150	ORG	1	08/12/1861	1861	10/01/1861	J E HENDRICKS		
SOUTH	R-A	1	1	3A	9	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE		
EAST	R-A	1	1	3A	4	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE		
EAST	R-A	10	10	10	12	93	99	ORG		06/10/1867	1867	07/10/1867	C A DEANE		
WEST	RC	1	2	64	68	146	150	ORG	1	08/12/1861	1861	10/01/1861	J E HENDRICKS		
WEST	R-A	1	1A	4	5	93	99	RES		06/10/1867	1867	07/10/1867	C H DEANE		
WEST	R-A	1	1A	13	13	93	99	RES		06/10/1867	1867	07/10/1867	C H DEANE		
SUBDIVISION	R0003	73	74	75	107	463	467	ORG		06/14/1871	1871	12/23/1871	W A CHRISTIAN		

Contract No. 1. of Aug 12, 1861

with Joel E. Hendricks p. 174 180

U.S.

Contract No. 2 of Sept 3, 1861

with John Pierce p. 153 to 193

U.S.

Contract No. 3. of Sept 4, 1861

with John Pierce p. 197 to 239

U.S.

Contract No. 6 of May 3, 1862

with John & Wm H. Pierce p. 253 to 282

Part of Contract No. 6. was Extension
or line for which see Vol. II.

For Index

See back end of Volume

Field Notes

of the survey of the **EIGHTH GUIDE MERIDIAN** west of the Sixth Principal Meridian, from the Base Line surveyed on the Fortieth Parallel of North Latitude, **SOUTH** Ninety Miles, to the Third Standard Parallel, in the Territory of Colorado by Joel E. Hendricks Deputy Surveyor under his Contract No. 1 bearing date August 12, 1861

Names and duties of Survey Party

Joel E Newlands Comptroller
 Wm H Ashley }
 Halsey Sawtelle }
 Oyes Mathews } Chemist
 Edmund Field }
 George Newlands Jr. Carpenter
 Sylvester Lawrence Carpenter

P. M. Adams Recorder &
 Clerk

+ 8th Guide Mer. (South)

I commenced at the intersection of the 8th Guide Meridian with the Base Line being the S. W. corner of Section 31 in Township number 1 North of Range number 64 West. Found mound and trees at corner as described in the field notes of the same furnished me by the Surveyor General. The posts at said corner have been removed.

By an observation at noon with Burt's Solar Compass I found the latitude of the initial point to be 40 degrees and the variation of the needle to be 18 degrees East.

I ran South on a true meridian 2000 feet to a corner stake for quarter Sec. 36. Mr. S. W. post properly marked and raised a mound as per instructions.

2000 feet post for corner of 1. 6. 7 & 12

J. H. Guise

Townships 13 and 14 South.

South on a true meridian.

Variation $15^{\circ} 2' 15''$

40.00

Set a post for quarter Section corner
Drove a charred stake and raised a
mound as per instructions.

60.00 Dry creek coming from East. 1.00 ch. wide.

76.00 Verge of rocky bluff (Northern angle of) 350 ft. high.

80.00

Set a post for corner to
Sections 31 and 36 in Township No. 13
South, and Sections 1 and 6 in Town-
ship No. 14. South. Raised a mound
of stones around the post which is
situated on the ledge of the
bluff, at about one third its height,
and from which a cedar tree 18
inches in diameter bears South
234 East distant 1.88 chains.

Surface. Broken.

Vegetation. Buffalo grass.

Land. Third rate

September 11th 1861

Meridian

Township 14 South.

Compared chain with standard
South on a true meridian.

Variation $15^{\circ} 15'$

5.00

To foot of bluff.

40.00

Set a post for quarter Section
corner. Drove a charred stake and
raised a mound as per instructions.

75.80

Dry creek coming from the
East 1.05 chain wide.

80.00

Set a post for corner to Sections
1, 6, 7, and 12 in Township No. 14. South.
Drove a charred stake and raised a
mound as per instructions.

Surface. Rolling.

Vegetation. Buffalo grass.

Land. Second rate.

40.00

South on a true meridian.
Set a post for quarter Section
corner. Drove a charred stake and
raised a mound as per instructions.

Township 14. South.

80.00

Set a post for corner to Sections
7, 12, 13, and 18, in Township No. 14. South.

Drove a charred stake and raised
a mound as per instructions.

Surface. Rolling.

Vegetation. Buffalo grass

Land. Second rate.

South on a true meridian.

Variation 152

40.00

Set a post for quarter Sec-
tion corner. Drove a charred
stake and raised a mound as
per instructions.

80.00

Set a post for corner to Sec-
tions 13, 18, 19, and 24, in Township
No. 14. South. Drove a charred
stake and raised a mound as
per instructions.

Surface. Level.

Vegetation. Buffalo grass.

Land. Second rate.

Township 14. South.

South on a true meridian.

40.00

Set a post for quarter Section
corner. Drove a charred stake and
raised a mound as per instructions.

56.00

Dry creek coming from the
North East 9.00 chains wider

80.00

Set a stake for corner to
Sections 17, 24, 25, and 30, in Township
No. 14. South. Drove a charred stake
and raised a mound as per instructions.

Surface. Level.

Vegetation. Buffalo grass.

Land. Second rate.

Sept. 12th 1861.

Compared chain with Standard.

South on a true meridian.

40.00

Set a post for quarter Section
corner. Drove a charred stake and
raised a mound as per instructions.

80.00

Set a post for corner to Sections
25, 30, 31, and 36, in Township No. 14. South.

Townships 14 and 15 South

Drove a charred stake and raised a mound as per instructions.

Surface. An inclined plain, inclined to the North.

Vegetation. Buffalo grass.

Land. Third rate.

40.00

South on a true meridian.
Set a post for quarter Section corner. Drove a charred stake and raised a mound as per instructions.

52.30

By creek coming from North East.

80.00

Set a post for corner to Sections 31 and 36 in Township no. 14. South, and Sections 1 and 6 in Township no. 15. South. Drove a charred stake and raised a mound as per instructions.

Surface. Rolling.

Vegetation. Buffalo grass.

Land. Third rate.

Township 15. South.

South on a true meridian.
Variation $14^{\circ}45'$

40.00

Set a post for quarter Section corner. Drove a charred stake and raised a mound as per instructions.

80.00

Set a post for corner to Sections 1, 6, 7 and 12 in Township no. 15. South.

Drove a charred stake and raised a mound as per instructions.

Surface. Rolling.

Vegetation. Buffalo grass.

Land. Third rate.

South on a true meridian.
Variation $14^{\circ}43'$

40.00

Set a post for quarter Section corner. Drove a charred stake and raised a mound as per instructions.

80.00

Set a post for corner to Sections 7, 12, 13 and 18 in Township no. 15.

South. Drove a charred stake and raised a mound as per instructions.

I should add that the Chains
were compared with the Standards
Every morning —

We hereby certify that we assist-
ed Col E. H. Merriam's Deputy Sur-
veyor in surveying the 8th Principal
Meridian West of the 6th Principal
Meridian South from the Base Line
90 miles also the first, second
and third Standards & parallels, both
between said 8th Principal Meridian
& the Base of the Mountains and
that said lines have in all ad-
justs been to the best of our
knowledge & belief well and
faithfully surveyed and the
boundary monuments placed
according to the instructions
furnished by the Surveyor
General

Mr H. Ashley
Brook, H. Sawtall
D R. Atthens } Chairman
Edward. J. Field

George J. Hendricks - Foreman
Sylvester & Lawrence Crum

Subscribed & sworn to by the above
named persons before me a
United States Commissioner
in the Territory of Colorado
this 30th day of September
1861

Seal

Wm. Larimer
United States
Commissioner for
Colorado Tg

At Joel E. Henrichs, Supt.
 of Surveyor do solemnly swear
 that in pursuance of a contract
 with Francis Mc Case Sur-
 veyor of the Public Lands
 of the United States in the Ter-
 ritory of Colorado bearing date
 the 12th day of August
 1861 and in strict conformity
 to the Laws of the United States
 and the instructions furnished
 by the Surveyor General I have
 faithfully surveyed the said
 Eighth Guide Meridian, south
 of the Base Line truly and
 and the said first second & third
 Standard Parallels from said Guide
 Meridian west to the Base of
 the Rocky Mountains in the
 Territory of Colorado aforesaid
 and do further solemnly
 swear that the foregoing

are the true and original
field notes of said survey

John E. Hinder, MRS
Deputy Surveyor

Subscribed by the said Gov. C.
Kneelsick, and sent before
me a United States Commissioner for
the territory of Oregon
this 30th day of Septem-
ber A.D. 1861

Ent

My Dear Mr
United States
Comptroller for Col 7

Surveyor General's office
 Humboldt Cal. F. Oct 1861

The foregoing field notes of the survey
 of the 8th and meridian met of the
 6th principal meridian south
 from the Base Line to Mill also
 the first Second Hand Standard
 parallel with between said
 8th and meridian and the
 base of the Rocky Mountains
 executed by Joel B. Hendricks
 under his contract of the 12th
 day of August 1861, having
 been critically examined the
 necessary corrections and expl-
 anations made. The said field
 notes and the Survey they de-
 scribe are hereby approved,

Francis McCase
 Sur. Genl. of
 California

1
Field Notes of the
Exterior lines of
Township 15th South.
Range 64. West.

Apr 15 S. Re. 64 W.

North between Secs 31 & 36.

Var. $15^{\circ} 30'$ East.

40.00 Set a Post in mound
and charred stake for
 $\frac{1}{4}$ Sec. Corner.

80.00 Set a Post in mound
and charred Stake for
corner to Secs 25, 30.

31. and 36.

Land rolling. 2nd rate
veg. Birch grass

North between Secs 25 & 30

Var. $15^{\circ} 30'$

40.00 Set a Post in mound
and charred stake for
 $\frac{1}{4}$ Sec. Corner.

80.00' Set a Sandstone 15' x 4' x 4'
for corner to Secs 19, 24.

25 and 30.

Land gently rolling. 2nd rate
veg. brush grass.

Twp. 15 S. R. 64 W.

North between Secs.
19. and 24.

Bearing 15° 30' East.

40.00 Set a Post in mound
and charred stake for
1/4 Sec. corner.80.00 Set a Sandstone 14 x 10 x 4
for corner to Secs 13, 18, 19 & 24
Land rolling, 2^d rate
veg. bunch and buffalo grass.

North between Secs 13 & 18

Bearing 15° 30' East

40.00 Set a Post in mound
and charred stake for
1/4 Sec. corner.82.80 Small dry ravine, course
S. 35° East.80.00 Set a Sandstone 16 x 10 x 4
for corner to Secs 2,
12, 13, and 18.
Land rolling, 2^d rate

Twp. 15 S. Range 64 W.

veg. bunch grass.

North between Secs 1 & 12

Bearing 15° 30' East.

40.00 Set a Post in mound
and charred stake for
1/4 Sec. corner.80.00 Set a Post in mound
and charred stake for
corner to Secs. 1, 6, 7, & 12.
Land rolling 2^d rate
veg. bunch grass

North between Secs 1 & 6.

Bearing 15° 30' East.

40.00 Set a Post in mound
and charred stake for
1/4 Sec. corner.80.00 Set a Post in mound
and charred stake for
corner to Secs. 1, 6, 7 & 12.
in Twp. 15th and 15 S.
14

4
Twp. 15 S. R. 64 W.

Ranges 63 and 64 West.
Land gently rolling, ^{2nd} ~~2nd~~
veg. bunch grass.
June 19. 1867.

From the Post corner
to Townships 14 and
15 S. Ranges 63 and 64
West T run.

West on a random line
Bearing 15° East.

Setting temporary Posts
every 40 and 80 chains ~~and at~~

48195

chains
intersect N & S line at
a point 57.16 S.
of Post corner to

5
Twp. 15 S. R. 64 W.

Townships 14 and 15 S.
Ranges 64 and 65 West.
from which corner I
run: S. 85° 56' E. on
a true line

Bear. 15° East.

41.95 Set a Sandstone 16x10x5
for 1/4 Sec. corner.

81.95 Set a Sandstone 18x11x5
for corner to Secs 5, 6
31 and 32.

Land rolling 2nd rate
veg. bunch grass

East along the S. bound-
ary of Sec. 32.
Bearing 15° East.

14.000 Foot of Sand rocks 30
feet high - bear N. & S.

16.00 Lot of same.

40.00 Set a Sandstone 16x10
x5 for 1/4 Sec. corner

Apr. 15 S. R. 64 W.

54.00 Dry Ravine, course
S. 25° West.
80.00 Set a Post in mound
and marked stone
for corner to Secs. 4, 5,
32. and 33.
Land rolling, except
on bluff, 24 rate
Reg. brush grass.
A few small pines
growing on the bluff.

East along the South
boundary of Sec. 33.
Var. 15° East.

27.00 Dry Ravine, course South
40.00 Set a Post in mound
and charred stake for
1/4 Sec. Corner
80.00 Set a Post in mound
and charred stake for
corner to Secs. 34, 35, 36.

Apr. 15 S. R. 64 W.

Land rolling, 24 rate
Reg. brush grass.

East along the South
boundary of Sec. 34.
Var. 15° East.

40.00 Set a Post in mound
and charred stake for
1/4 Sec. Corner.

80.00 Set a Post in mound
and charred stake for
corner to Secs. 2, 3, 34
and 35.

Land rolling, 24 rate
Reg. brush grass.

East along the South
boundary of Sec. 35 Variation 15° East

30.80 Dry Ravine, course
S. 35° West.

40.00 Set a Post in mound
and charred stake for 1/4 Sec. Corner.

8
Twp 15 S. R. 64 W.

9
Twp 15 S. R. 64 W.

5.50 Dry barine, corner S.W.
71.00 Dry barine, corner S.
80.00 Set a Post in mound
and charred stake
for corner to Secs. 1, 2, 3 & 36
Land rolling 2nd rate
veg. Bush grass

East along the South
boundary of Sec. 36
to 15th East.

10.00 Set a Post in mound
and charred stake for
1/4 Sec. corner

80.00 The corner to Secs. 1, 6,
31, and 36, in Twp. 14,
and 15 S. Ranges 64 & 65 W.
The surface of this
Township is generally
a rolling prairie,
possessed with no

ro water, and the light
sandy nature of the
soil renders it un-
fit for cultivation.
June 20, 1863

North Bay Gr. 14 S. R. ⁶³ ~~64~~ W.

Child Notes of the ^{North} exterior
lines of Township 14.

S. Range ⁶³ ~~64~~ West.

North between Secs 3 & 4

Was 15° 15' East

40.00 Set a Sandstone 15' x 8' x 4'
for 1/4 Sec. corner.

80.00 Set a Sandstone 15' x 10' x 4'
for corner to Secs. 25,
30, 31, & 36.

Land rolling, 24. rate to
veg. bunch grass.

North between Secs 25 & 30
Was 15° 15' East.

40.00 Set a Sandstone 15' x 10' x 4'
for 1/4 Sec. corner.

80.00 Set a Sandstone 16' x 11' x 5'
for corner to Secs. 19,
24, 25 & 30.

Land rolling, 24. rate to
veg. bunch grass.

North Bay Gr. 14 S. R. ⁶³ ~~64~~ W.

North between Secs 19, 24 & 4

Was 15° 15' East.

40.00 Set a Sandstone 14' x 11' x 4'
for 1/4 Sec. corner.

80.00 Set a Sandstone 16' x 10'
x 5' for corner to Secs
19, 18, 19, & 24.

Land nearly level, 24. rate to
veg. bunch grass.

North between Secs 13 & 18

Was 15° 15' East.

40.00 Set a Sandstone 14' x 10' x 4'
for 1/4 Sec. corner.

80.00 Set a Sandstone 16' x 10' x 4'
for corner to Secs 2, 12,
13 and 18.

Land rolling, 24. rate to
veg. bunch grass.

North between Secs 2 & 18.

West By ⁶³ Twp. 14 S. R. 64 W.

40.00 Set a sandstone 12 x 10 x 5
for 1/4 sec. corner.
80.00 Set a sandstone 16 x 10 x 4
for corner to Secs. 1, 6
7, and 12.
Land rolling. 2nd rate
reg. bunch and buff
pale grass.

North between Secs. 1 & 2.
Bearing 15° 15' East.

2.40 Dry Ravine, corner S & W

40.00 Set a sandstone 14 x 8 x 4
for 1/4 sec. corner.

80.00 Set a sandstone 17 x 12 x 6
for corner to Secs. 1, 6, 31,
and 36 in Tps. 12 and
14 S. Ranges 63 and
64 West.

Land rolling. 2nd rate
reg. bunch and buff pale
grass

Twp. 14 S. R. 64 W.

From the corner to
Townships 12 and 14
S. R. 63 and 64 West.
Run West on a
random line at a
Bearing of 15° E.
setting temporary stone
corners every 40 and
80 chains, and at 482
76 chains intersect N.
and S. line at a point
1,314 lbs. S. of stone cor-
ner to Townships 12
and 14. S. Ranges 63 and
64 West, from which

corner I run S. 89° 37'
East on a true line + at

42,76 Set a sandstone 20 x 10
x 6 in stone mound
for 1/4 sec. corner.

60.00 Short of sandstone rocks
bear. N. & S. - about.

14
Twp 14 S. R. 64 W.

- 10 chains North of point where line crosses, they turn West, and run parallel with line
- 62.20 Top of rocks, - rocky bluff about 50 feet in height.
- 82.67 Set a Sandstone 15x11x4 for corner to Secs. 5: 6. 31432
- Line passes over very rocky and broken ground. and which a quantity of red cedar is growing.

East along the South boundary of Sec. 32.
Bearing 15° East.

- 41.00 Set a Sandstone 16x10x4 for 1/4 Sec. Corner.
- 80.00 Set a Sandstone 15x10x4 for corner to Secs 4, 5, 29 & 33
- Land rolling 2nd rate
Reg. bunch grass

15
Twp 14 S. R. 64 W.

East along the South boundary of Sec. 33.
Bearing 16° East.

- 40.00 Set a Sandstone 14x8x3 for 1/4 Sec. Corner.
- 80.00 Set a Sandstone 16x8x4 for corner to Secs. 3, 4, 33, and 34.
- Land rolling 2nd rate
Reg. bunch grass.

East along the South boundary of Sec. 34.
Bearing 18° East.

- 40.00 Set a Sandstone 15x5x4 for 1/4 Sec. Corner.
- 80.00 Set a Sandstone 15x10x5 for corner to Secs 2, 3, 34 and 35.
- Land rolling 2nd rate.
Reg. bunch grass

Tp 14 S. R. 64 W.

East along the South
boundary of Sec. 35.

W. 15° East.

34.00 Dry Prairie, covered 8.60¢.

40.00 Set a Post in mound
and marked stone for
1/4 Sec. corner.

80.00 Set a Sandstone 16x10
x4 for corner to Secs.

1, 2, 35, 9, 36.

Land rolling, 2^d rate
veg. bunch grass

East along the South
boundary of Sec. 36.

W. 15° East.

40.00 Set a Post in mound
and marked stone for
1/4 Sec. corner.

80.00 The corner to Secs 1, 6,
31, and 36. in Tps 13,
and 14. S. Ranges 63 & 64 W.

Tp 14 S. R. 64 W.

Land rolling, 2^d rate
veg. Bunch grass.

June 21st 1867

The surface of this
Township is rolling
prairie, covered with
a scanty growth of
bunch grass.

In the North West
corner is a large mass
of sandstone rocks,
among which a large
number of cedar posts
can be procured.

Water is found in
Sections 5 and 8.
by digging a few feet in
the sand where a clump
of cotton woods are growing.
The supply is not large enough
for agricultural purposes.

I hereby certify that I
 assistant Cecil A Deane
 deputy Surveyor in survey-
 ing the exterior lines of
 Townships 11, 12, 13, 14 & 15
 South Range 64 & 63 West
 of the 6th Principal Meridian
 also the 3rd correction line
 South, for a distance of 24
 miles East from the 8th
 Guide Meridian in Colorado
 and that said survey has
 been well and faithfully
 surveyed and the boundary
 monuments have been
 planted according to the in-
 structions furnished by the
 Surveyor General.


Frank Watters
 Esq. Surveyor General

Territory of Colorado
 County of Otero
 Sub
 Surveyed and given

To be fore me this Third
day of July 1867

Witness my hand and
Notarial Seal this 3^d
day of July 1867

John W Webster
Notary Public




We hereby certify that
we assisted Cecil A.
Deane, deputy Surveyor,
in surveying the exte-
rior lines of Town-
ships 11, 12, 13, 14 and
15 South, Ranges 63 and
64 West of the 6th Prin-
cipal Meridian; also
the 3rd correction line
South, for a distance of
24 miles East from
the 8th Guide Meridian
in Colorado, and that
said survey has been
well and faithfully
surveyed, and the bound-
ary monuments have
been planted according
to the instructions
furnished by the Sur-
veyor General.

P. H. Bridger
 Richard H. Long } Chairmen
 Wm. Plummer }
 John W. Guire
 J. F. Morgan. } Members
 James Shier }

Territory of Colorado
 County of Otero

Sworn and Subscribed
 to before me this 11th
 day of July, A.D. 1867
 Witness my hand
 and Notarial Seal
 John W. Webster
 Notary Public



I Cecil A. Deane deputy
 Surveyor do solemnly
 swear that in pursuance
 of a contract with W. H.
 Leasing Surveyor General
 of the public lands of the
 United States in the territory
 of Colorado, bearing date
 the 10th day of June 1867, and
 in strict conformity to the
 laws of the United States
 and the instructions fur-
 nished by said Surveyor
 General, I have faithfully
 surveyed the 3rd Correction
 line E. East from the 8th Guine
 Meridian 24 miles and
 the Exterior line of the
 11, 12, 13, 14 & 15 S. R. 63 & 64
 N. of the 6th Principal
 Meridian in said
 territory and do

further solemnly swear
that the foregoing are
the true and original
field notes of such sur-
veys

Bevil A. Deane.

Deputy Surveyor.

Territory of Colorado }
Arapahoe County }²¹

Subscribed
by said Bevil A. Deane deputy
surveyor and sworn to before
me this 14th day of July
A.D. 1867

Eli M. Ashley
Notary Public

Surveyor General's Office
Denver C.T. July 10th 1867

The foregoing field notes
of the survey of the 3rd Con.
line S.-E. from the 8th Guide
Mer. 24 miles and the Exter-
rior line of tps 11, 12, 13, 14 & 15
S.R. 63 & 64 th. executed
by Bevil A. Deane, having
been critically examined
the necessary corrections &
explanations made the said
field notes and the surveys
they describe are hereby
approved.

J. D. D. Vessing
Surveyor General of
Colorado & Utah

Field Notes
 of Survey of Subdivision and lines
 of Twp 1st. S. R. 64. W. of
 the 6th Terr. Mer. in
 Colorado Territory by
 Wm A. Christian
 Dep. Surveyor
 under his contract of June 14/71
 Survey begun July 14. 71
 Completed " 22. 71

4-674.

Township 14 S. R. 64 W.

6	106	5	97	4	91	3	86	2	80	1
105		105		96		91		85		79
7	104	8	96	9	90	10	85	11	79	12
104		103		95		90		84		78
18	103	17	95	16	89	15	84	14	78	13
102		101		94		89		83		77
19	101	20	94	21	88	22	83	23	77	24
100		100		93		88		82		77
30	99	29	93	28	87	27	82	26	76	25
99		98		92		87		81		75
31	98	32	92	33	86	34	81	35	75	36

D. 14. S. R. 64 W.
 My compass being in
 sufficient adjustment
 I begin on the South bound-
 ary of the Tp. at the Co
 to be 35.36 corner

N. on a true line
 between Co 35.36

Var 15° 15' E

49.00 Set post in mound for 1/4 Co

89.00 Set post in mound for Co
 to be 25.26. 35.36

Land meeting 2^d route
 Reg. Buffalo & land go on

E. on a random line
 between Co 25.36

Var 14° 35' E

8.00 Ravine corner S. E

49.00 Set temporary 1/4 Co

80.20 Intersect E. line of Tp 11th

T. 14. S. R. 64. W
 S. of bar,
 from which bar. Iron
 S. $89^{\circ}55'W$
 on a true line

40.10 Let post in mound for $\frac{1}{4}$ bar
 80.20 The bar to be 25.26.35.3
 Land hill. Veg.
 Pin. & Sand grass.
 S. of road & Sage

N. between Sec 25.26
 Va $15^{\circ}15'E$

40.00 Let post in mound for $\frac{1}{4}$ bar
 80.00 Let post in mound for bar to
 be 23.24.25.26
 Land rolling 3rd rate
 Veg. Buffalo grass & Sage

E. on a random line
 between Sec 24.25
 Va $14^{\circ}35'E$

T. 14. S. R. 64. W
 40.00 Let temporary $\frac{1}{4}$ bar
 80.15 Intersect E. line of T. 14. S. R. 64. W
 of bar. from which bar. Iron
 S. $89^{\circ}54'W$
 on a true line

40.07 Let stone $17 \times 16 \times 5$ for $\frac{1}{4}$ bar
 80.15 The bar to be 23.24.25.26
 Land rolling 2nd rate
 Veg. Buffalo & Sand grass

N. between Sec 23.24
 Va $15^{\circ}15'E$

40.00 Let post in mound for $\frac{1}{4}$ bar
 80.00 Let post in mound for bar to
 be 13.14.23.24
 Land rolling 2nd rate
 Veg. Buffalo & Sand grass

E. on a random line
 between Sec 13.24
 Va $14^{\circ}35'E$

T. 14 S. R. 64. W

40.00 Let temporary $\frac{1}{4}$ cor
80.17 Intersect E. line of T. 7 N
H. of cor. from which cor. Inm
N. $89^{\circ} 57' 00''$

on a true line

40.08 Let put in mound for $\frac{1}{4}$ cor
80.17 The cor. to be 13. 14. 23. 24
Land selling 3rd rate

N. between be 13. 14
Va $15^{\circ} 15' E$

40.00 Let put in mound for $\frac{1}{4}$ cor
80.00 Let put in mound for cor
to be 11. 12. 13. 14
Land selling 2nd rate
Veg. Buffalo & Sand grass

E. on a random line
between be 12 & 13
Va $14^{\circ} 35' E$

40.00 Let temporary $\frac{1}{4}$ cor

T. 14 S. R. 64. W

80.07 Intersect E. line of T. 13 N
H. of cor. from which cor. Inm
N. $89^{\circ} 54' 00''$
on a true line

40.03 Let put in mound for $\frac{1}{4}$ cor
80.07 The cor. to be 11. 12. 13. 14
Land selling 2nd rate

N. between be 11 & 12
Va $15^{\circ} 15' E$

40.00 Let put in mound for $\frac{1}{4}$ cor
80.00 Let put in mound for cor
to be 1. 2. 11 & 12
Land selling 2nd rate
Veg. Buffalo & Sand grass

E. on a random line
between be 1 & 2
Va $14^{\circ} 35' E$

40.00 Let temporary $\frac{1}{4}$ cor
80.02 Intersect E. line of T. 18 N

P. 14. S. R. 64. W
 N. of br. from wh. br. Iron
 N. 89° 52' W
 on a true line

40.00 Let part in mound for 1/4 br
 80.02 The br. to loc 1. 2. 11 12
 Land rolling 3rd rate
 Veg. Buffalo & sand grass

N on a random line
 between loc 1 2
 N 15° 15' E

40.00 Let temporary 1/4 br
 49.69 Intersect N. line of Sh. 100 ft
 N. of br. from which br. Iron
 S. 0° 44' W
 on a true line

39.69 Let part in mound for 1/4 br
 49.69 The br. to loc 1. 2. 11 12
 Land rolling 3rd rate
 Veg. Buffalo & sand grass
 July 17. 1871

P. 14. S. R. 64. W
 N. between loc 34, 35
 N 15° 15' E

40.00 Let part in mound for 1/4 br
 80.00 Let part in mound for br
 to loc 26. 27. 34. 35
 Land rolling 3rd rate
 Veg. Buffalo & sand grass

E. on a random line
 between loc 26 & 35
 N 35° E

40.00 Let temporary 1/4 br
 79.90 Intersect N. S. line 130 ft. S
 of br. from which br. Iron
 S. 89° 54' W
 on a true line

39.95 Let part in mound for 1/4 br
 49.90 The br. to loc 26. 27. 34. 35
 Land rolling 3rd rate
 Veg. Buffalo & sand grass

T. 14. S. R. 64. 00
N. between Sec 26, 27
Va. 15° 15' E

40.00 Section in mound for 1/4 Cor.
80.00 Section in mound for Cor.
to Sec 22, 23, 26, 27
Land rolling 2nd rate
Reg. Buffalo & Land grass

E. on a random line
between Sec 23, 26
Va. 14° 35' E

40.00 Section temporary 1/4 Cor.
49.85 Intersect N. & S. line 270 ft S
of Cor. from which Cor. Iron
S. 89° 48' 00"
on a true line

39.92 Section in mound for 1/4 Cor.
49.85 The Cor. to Sec 22, 23, 26, 27
Land rolling 3rd rate
Reg. Buffalo & Land grass

T. 14. S. R. 64. 00
N. between Sec 22, 23
Va. 15° 15' E

40.00 Section in mound for 1/4 Cor.
80.00 Section in mound for Cor. to
Sec 14, 15, 22, 23
Land rolling 2nd rate
Reg. Buffalo & Land grass

E. on a random line
between Sec 14, 23
Va. 14° 35' E

40.00 Section temporary 1/4 Cor.
49.97 Intersect N. & S. line 10 ft S
of Cor. from which Cor. Iron
N. 89° 56' 00"
on a true line

39.98 Section in mound for 1/4 Cor.
49.97 The Cor. to Sec 14, 15, 22, 23
Land rolling 2nd rate
Reg. Buffalo & Land grass

84
D. 14. S. R. 64.00
N. between Sec 14 & 15
Ta 15° 15' E

40.00 Let part in mound for 1/4 Cor
80.00 Let part in mound for Cor
to Sec 10, 11, 14 & 15
Land selling 3rd Gate
Reg. Buffalo & Sand grass

E. between Sec 11 & 14
on a random line
Ta 14° 35' E

40.00 Let temporary 1/4 Cor
80.03 Intersect N & S line 12 & 13
S. of Cor. from which Cor 2 runs
N. 89° 54' 00"
on a true line

40.01 Let part in mound for 1/4 Cor
80.03 The Cor. to Sec 10, 11, 14 & 15
Land selling 3rd Gate
Reg. Buffalo & Sand grass

85
D. 14. S. R. 64.00
N. between Sec 10 & 11
Ta 15° 15' E

40.00 Let part in mound for 1/4 Cor
80.00 Let part in mound for Cor
to Sec 2, 3, 10 & 11
Land selling 3rd Gate
Reg. Sand grass

E. on a random line
between Sec 2 & 11
Ta 14° 35' E

40.00 Let temporary 1/4 Cor
49.95 Intersect N & S line 14 & 13
N. of Cor. from which Cor 2 runs
N. 89° 54' 00"
on a true line

39.97 Let part in mound for 1/4 Cor
49.95 The Cor. to Sec 2, 3, 10 & 11
Land selling 3rd Gate
Reg. Sand grass & Logwood

86
T. 14. S. R. 64. 00
N. on a sandstone line
between bc 213
Va 15° 15' E

40.00 Let post for temporary bar
79.60 Intersect N. line of Sp. 10th
E. of Cor. from which Cor. Town
S. 0° 4' E.

on a true line

39.60 Let post in mound for 1/4 bc Ca
49.60 The Cor. to bc 2. 3. 10. 11
Land rolling 2^d rate
Reg. Buffalo Land goes
July 18, 1871

N. between bc 33, 34
Va 15° 15' E

40.00 Let sandstone 19x13x7 for 1/4 bc
80.00 Let sandstone 20x16x6 for
Cor. to bc 27. 28. 33. 34
Land rolling 3^d rate
Reg. Buffalo Land goes

87
T. 14. S. R. 64. 00
E. on a sandstone line
between bc 27, 34
Va 14° 35' E

40.00 Let temporary 1/4 Cor
80.14 Intersect N. line 17th. S
of Cor. from which Cor. Town
S. 89° 53' 00

on a true line

40.07 Let post in mound for 1/4 bc Ca
80.14 The Cor. to bc 27. 28. 33. 34
Land rolling 3^d rate
Reg. Land goes

N. between bc 27, 28
Va 15° 15' E

40.00 Let sandstone 16x14x4 for 1/4 bc
80.00 Let sandstone 19x17x3 for Cor
to bc 21. 22. 27. 28
Land rolling 3^d rate
Reg. Land goes

T. 14. S. R. 64. 00

On a random line
between Sec 22 & 27

N. 14° 35' E

40.00 Set temporary 1/4 cor
80.07 Intersect N & S. line 20 lbs
N. of cor. from orch. cor. Iron
N. 89° 57' 00"

on a true line

40.03 Set stone 17x13x7 for 1/4 cor

80.07 The cor. to Sec 21, 22, 27, 28
Land rolling 3rd rate
Reg. Buffalo & Sage-grass

N. between Sec 21, 22

N. 15° 15' E

40.00 Set sandstone 20x7x9 for 1/4 cor

80.00 Set sandstone 24x16x7 for cor
to Sec 15, 16, 21, 22

Land rolling 3rd rate
Reg. Buffalo grass

T. 14. S. R. 64. 00

On a random line
between Sec 15 & 22

N. 14° 35' E

40.00 Set temporary 1/4 cor
79.97 Intersect N & S. line 27 lbs N
of cor. from orch. cor. Iron
N. 89° 48' 00"

on a true line

39.98 Set iron in mound for 1/4 cor

79.97 The cor. to Sec 15, 16, 21, 22

Land rolling 2nd rate
Reg. Buffalo & Sand grass

N. between Sec 15, 16

N. 15° 15' E

40.00 Set stone 16x13x7 for 1/4 cor

80.00 Set stone 19x17x5 for cor
to Sec 9, 10, 15, 16

Land rolling 3rd rate
Reg. Buffalo & Sand grass

T. 14. S. R. 64. 00

E. on a random line
between Sec 19, 15

Na 14° 35' E

40.00 Set temporary 1/4 cor

80.05 Intersect N. S. line 7 1/2 S
of cor. from which cor. Town
S. 89° 57' 00

on a true line

40.02 Set stone 16x14x3 (fr) 1/4 cor

80.05 The cor. to be 9. 10. 15 & 16
Land rolling 3^d rate
Reg. Buffalo Sand grass

N. between Sec 9, 10

Na 15° 15' E

40.00 Set stone 19x18x8 (fr) 1/4 cor

80.00 Set stone 24x13x 7/8 for cor to
Sec 3, 4, 9, 10

Land rolling 3^d rate
Reg. Buffalo Sand grass

T. 14. S. R. 64. 00

E. on a random line
between Sec 3, 10

Na 14° 35' E

40.00 Set temporary 1/4 cor

79.95 Intersect N. S. line 17 1/2 S
of cor. from which cor. Town
S. 89° 53' 00

on a true line

39.97 Set sandstone 14x13x 7/8 1/4 cor

49.95 The cor. to be 3, 4, 9, 10
Land rolling 3^d rate
Reg. Sand grass

N. between Sec 3, 4

on a random line
Na 15° 15' E

40.00 Set post in mound (fr) 1/4 cor

79.90 Intersect N. line of Sec. 13 1/2 S
E. of cor. from which cor. Town
S. 1° 6' E

on a true line

T. 14 S. R. 64. 28

39.90 Set point in mound for 1/4 Sec

79.90 The Cor to be 3. 4. 9. 10

Land rolling 3^d rate

Reg. Buffalo Sand grass

July 19. 1871

N. between Sec 32 & 33

Ta 15° 15' E

40.00 Set point for 1/4 Sec

80.00 Set Sandstone 19x17x4 for

Cor to be 28. 29. 32. 33

Land rolling 3^d rate

Reg. Buffalo Sand grass

E. on a random line

between Sec 28 & 33

Ta 14° 35' E

40.00 Set temporary 1/4 Cor

80.03 Intersect N. & S. line 14 Ch. N

from from which Cor. Iron

T. 14 S. R. 64. 28

21. 89° 54' 00

on a true line

40.01 Set Sandstone 17x15x5 for 1/4 Cor

80.03 The Cor. to be 28. 29. 32. 33

Land rolling 3^d rate

Reg. Buffalo Sand grass

N. between Sec 28 & 29

Ta 15° 15' E

40.00 Set Sandstone 14x13x8 for 1/4 Cor

80.00 Set Sandstone 19x16x7 for

Cor. to be 21. 21. 28. 29

Land rolling 2^d rate

E. on a random line

between Sec 21 & 28

Ta 14° 35' E

40.00 Set temporary 1/4 Cor

79.90 Intersect N. & S. line 14 Ch. N

from from which Cor. Iron

P. 14. S. R. 64. 00

N. 89° 54' 00"

on a true line

39.95 Set Stone 19x17x7 for 1/4 Sec. C

79.90 The corner to Sec 20, 21, 28, 29

Land selling 2nd rate

Reg. Land grays

N. between Sec 20, 21

N. 15° 15' E

40.00 Set Sandstone 17x15x7 for 1/4 Sec. C

89.00 Set Sandstone 19x13x5 for

corner to Sec 16, 17, 20, 21

Land selling 3rd rate

Reg. Land grays

E. on a random line
between Sec 16, 21

N. 14° 35' E

40.00 Set for temporary marker

89.05 Intersect N. & S. line 13th 5

P. 14. S. R. 64. 00

of Sec. from which corner. Corner

S. 89° 54' 00"

on a true line

40.02 Set post in mound for 1/4 Sec. C

80.05 The corner to Sec 16, 17, 20, 21

Land selling 3rd rate

Reg. Buffalo & Land gray

N. between Sec 16, 17

N. 15° 15' E

40.00 Set Sandstone 21x13x4 for 1/4 Sec. C

80.00 Set Sandstone 24x15x7 for corner

to Sec 8, 9, 16, 17

Land selling 2nd rate

Reg. Buffalo & Land gray

E. on a random line
between Sec 9, 16

N. 14° 35' E

40.00 Set temporary 1/4 Sec. C

T. 14. S. R. 64. W

79.89 Intersect N. line 23 1/2 W
of Cor. from which Cor. Town
N. 89° 50' W
on a true line

39.94 Set Stone 14x13x6 for 1/4 Sec Cor
79.89 The Cor. to Sec 8. 9. 16. 17
Land selling 3^d rate
Reg. Buffalo & Sand grass

N. between Sec 8 & 9
Va 15° 15' E

40.00 Set Sandstone 16x15x3 for 1/4 Sec
89.00 Set Sandstone 19x17x6 for Cor.
to Sec 4. 5. 8. 9
Land selling 2^d rate
Reg. Buffalo & Sand grass

E. on a random line
between Sec 4 & 9
Va 14° 35' E

T. 14. S. R. 64. W

40.00 Set temporary 1/4 Sec
79.80 Intersect N. line 23 1/2 W
of Cor. from which Cor. Town
N. 89° 54' 00"
on a true line

39.90 Set post in corner for 1/4 Sec Cor
79.80 The Cor. to Sec 4. 5. 8. 9
Land selling 2^d rate
Reg. Buffalo & Sand grass

N. on a random line
between Sec 4 & 5
Va 15° 15' E

40.00 Set temporary 1/4 Sec
79.87 Intersect N. line of T. 14. S. R. 64. W
E of Cor. from which Cor. Town
S. 0° 6' E. on a true line

39.87 Set post in corner for 1/4 Sec Cor
79.87 The Cor. to Sec 4. 5. 8. 9
Land selling 3^d rate
July 20. 1871

T. 14 S. R. 64.00

N. between Sec 31 & 32

Va 15° 15' E

40.00 Set Sandstone 13x12x7 1/2 ft. 1/2 ft.

80.00 Set Sandstone 19x18x7 for Cor.
to Sec 29, 30, 31, 32Land broken 3rd state
A few Scrub Trees in CañonE. m. a. sandstone line
between Sec 29, 32

Va 14° 35' E

40.00 Set temporary 1/4 Cor

80.00 Intersect N. S. line 12 1/2 ft. N.
of Cor. from which Cor. Town
N. 89° 55' W

on a true line

40.03 Set post in corner 1/4 Cor

80.00 The Cor to Sec 29, 30, 31, 32

Land broken 3rd state
Veg. Sand grass & Sycamore

T. 14 S. R. 64.00

W. m. a. sandstone line
between Sec 30 & 31

Va 14° 30' E

40.00 Set temporary 1/2 Cor

81.80 Intersect Guide Mer.

15 E. N. of Cor.

from which Cor. Town
N. 89° 54' E

on a true line

41.80 Set Stone 17x16x7 for 1/2 Cor

81.80 The Cor to Sec 29, 30, 31, 32

Land Broken 3rd state

N. between Sec 29, 30

Va 15° 15' E

40.00 Set Sandstone 16x14x7 1/2 ft. 1/2 ft.

80.00 Set Sandstone 19x18x7 for

Cor. to Sec 19, 29, 29, 30

Land broken 3rd state

Veg. grass & Sycamore

100
P. 14. S. R. 64. 00

E. on a random line
between Lec 28, 29

$\alpha 14^{\circ} 35' E$

40.00 Let temporary $\frac{1}{4}$ bu

80.05 Intersect N. S. line 25 k. S
of bar. from which bar. Iron
S. $89^{\circ} 57' 00''$

on a true line

40.02 Let Stone $16 \times 15 \times 3$ ft $\frac{1}{4}$ bu

80.05 The bar to be 19, 20, 29, 30
Land broken 3rd rate

N. on a random line
between Lec 19, 20

$\alpha 14^{\circ} 30' E$

40.00 Let temporary $\frac{1}{4}$ bu

81.40 Intersect 8th Guide Mer
25 k. S. of bar.
from which bar. Iron
S. $89^{\circ} 49' E$

101
P. 14. S. R. 64. 00

on a true line

41.40 Let Sandstone $16 \times 4 \times 7$ ft $\frac{1}{4}$ bu

81.40 The bar to be 19, 20, 29, 30

Land broken 3rd rate

N. between Lec 19, 20

$\alpha 15^{\circ} 30' E$

40.00 Let Sandstone $16 \times 15 \times 8$ ft $\frac{1}{4}$ bu

80.00 Let Sandstone $19 \times 17 \times 9$ ft bu
to be 17, 18, 19, 20

Land broken 3rd rate

(veg. Pine & bals.) Sand grass
July 21, 1871

E. on a random line
between Lec 17, 20

$\alpha 14^{\circ} 35' E$

40.00 Let spot for temporary $\frac{1}{4}$ bu

80.07 Intersect N. S. line 10 k. N
of bar. from which bar. Iron

S. 14. S. R. 64.00

N. 89° 56' W

on a true line

40.00 Let from iron mound for 1/4 sec

80.07 The bar to be 17, 18, 19, 20

Land broken 3rd state

W. on a random line

between sec 18 & 19

Va 14° 30' E

16.00 Ravine. bar S. W.

40.00 Let temporary 1/4 bar

82.00 Intersect 8th Guide Mer.

14 1/2 S. of bar.

from which bar I run

S. 89° 54' E

on a true line

42.00 Let from iron mound for 1/4 sec

82.00 The bar to be 17, 18, 19, 20

Land broken 3rd state

Veg. On falo grass

S. 14. S. R. 64.00

N. between sec 17, 18

Va 15° 15' E

40.00 Let sandstone 16x14x7 for 1/4 sec

80.00 Let sandstone 19x14x7 for bar

to be 7, 8, 17, 18

Land broken 3rd state

Veg. On falo grass

E. on a random line

between sec 8 & 17

Va 14° 35' E

40.00 Let temporary 1/4 bar

80.17 Intersect N. S. line 17 1/2 S

of bar. from which bar I run

S. 89° 53' W

on a true line

40.00 Let from iron mound for 1/4 sec

80.17 The bar to be 7, 8, 17, 18

Land broken 3rd state

Veg. On falo grass

D. 14. S. R. 64. 00
 W. on a random line
 between Sec 7, 18
 Va 14° 35' E

8.10 Ravine. Corner S. 00.
 40.00 Set temporary 1/4 Cor
 82.20 Intersect 8th Guide Mer.
 24 lks. S. of Cor.
 from which Cor. Iron
 S. 89° 50' E
 on a true line

42.20 Set point in mound for 1/4 Sec 18
 82.20 The Cor. to Sec 7, 8, 17, 18
 Land selling 3rd Cont

N. between Sec 7, 8
 Va 15° 15' E

40.00 Set Stone 16x14x7 for 1/4 Sec 18
 80.00 Set Stone 19x17x5 for Cor
 to Sec 5, 6, 7, 8
 Land broken 3rd Cont

D. 14. S. R. 64. 00
 E. on a random line
 between Sec 5 & 8
 Va 14° 35' E

40.00 Set temporary 1/4 Cor
 80.03 Intersect N & S. line 21 lks S
 of Cor. from which Cor. Iron
 S. 89° 51' 00
 on a true line

40.01 Set Stone 16x14x7 for 1/4 Sec 18
 80.03 The Cor. to Sec 5, 6, 7, 8
 Land broken 3rd Cont
 Veg. Buffalo & Sand grass

W. on a random line
 between Sec 6 & 7
 Va 14° 30' E

5.00 Ravine Corner S. 00
 40.00 Set temporary 1/4 Cor
 82.40 Intersect 8th Guide Mer
 17 lks S of Cor

T. 14. S. R. 64. 08
from which Cor. Iron
S. 89° 53' E
on a true line

42.40 Let portion measured for 1/4 Cor.
82.40 The Cor. to be 5, 6, 7, 8
Land broken. 3rd Gate

N. marauder line
between Lc 5 & 6

To 15° 15' E

10.00 Prairie Cor. S. W.
40.00 Let temporary 1/4 Cor.
87.20 Intersect N. line of Sp. 2304
W. of Cor. from which Cor. Iron
S. 81° 6' 08
on a true line

41.20 Let Sandstone 17x14x7 for 1/4 Sec.
87.20 The Cor. to be 5, 6, 7, 8
Land broken 3rd Gate
Reg. Buffalo grass
July, 22. 1871

T. 14. S. R. 64. 08
General Description

The quality of land in this
Sp. is 2nd & 3rd Gate.

The East & South parts,
would afford good grazing
for sheep. but the West
part is broken & hilly
& almost barren.

T. 11. S. R. 64. W
General Description

The surface of this T^h
is rolling, the Eastern
portion being somewhat
broken by ravines.

The grass is good.
but there is no water

We hereby certify that we assisted
William A. Christian Deputy Surveyor
in surveying the subdivisions
line of T^hs. 13, 14 & 15. S. R. 63. 64 & 65
T^hs. 12 & 16. S. R. 63. 64. T^hs. 16 & 17 S. R. 64
T. 12 S. R. 62. T^h 11. S. R. 60 & 61. W

and that said T^hs. have been in
all respects to the best of our knowl-
edge and belief well and faithfully
surveyed and the boundary monuments
planted according to the instructions
furnished by the Surveyor General.

J. J. Howard } Chairman
Marret. Vigil }
J. Mario Montano }
bueno Guad } Hagman

Subscribed and sworn to by the
above named persons before me
a Justice of the Peace for the
County of Pueblo in the Territory
of Colorado this 24th day of
Oct 1871

W. H. Hefburn
Probate Judge & ex officio J. P.

J. William A. Christian deputy
surveyor do solemnly swear that
in pursuance of a contract with
H. B. Leasing. Surveyor of the
Public lands of the United
States in the Territory of Colorado
bearing date the 14th day of
June 77 and in strict conformity
to the laws of the United States
and the instructions furnished by
the said Surveyor General. I
have faithfully surveyed the
subdivisional lines of Tps.
13, 14, 15. S. R. 63, 64. T. 12, 16
S. R. 63. T. 16, 17. R. 64. T.
12. S. R. 62. T. 11. S. R. 60, 61
in the Territory aforesaid and do
further solemnly swear that the
foregoing are true and original
notes of such survey.

466
Subscribed by the said Mr.
A. Christian Deputy Surveyor, and
sworn to before me as Justice of
the Peace for the County of Pueblo
in the Territory of Colorado
the 14th day of Oct 1871

G. M. Hepburn Sec
Probate Judge & Co. officers of P

Wm. J. Long

467
Surveyor General's Office
Dover 23 Dec 23. 1871

The foregoing field notes
of survey of Sub. Lines of
Tps 13, 14, 15, S. R. 63, 64, N
Tp 12, 16, S. R. 63, N. Tp
16 & 17, S. R. 64, N. Tp
12, S. R. 62, N. Tp 11, S.
R. 60 & 61, N. Section
by Wm. A. Christian. Dep
S. under his contract
of Aug 14, 1871. Having
been critically examined
the necessary corrections & re-
statements made. The said
field notes & the surveying
instruments are hereby approved

Surveyor General
Colorado