

Amount of Survey: Townshiplines: 263 Mi 35 Chs 77 Lks
Connections " 24 " 05 "

Survey commenced July 2nd 1871.
" completed August, 5th 1871.

I hereby Certify that the above Diagram of the Exterior Lines of Townships No 16 & 17 South Ranges No 59, 60 61, 62, 63 & 64, of Townships No 18 & 19 South Ranges No 59, 60 61, 62 & 63, of Township No 20 Ranges No 59, 60 & 61 West of the 6th Principal Meridian in Colorado as surveyed by Jacob H. Hartz under his Contract of June 14th 1871, is strictly conformable to the field notes of the Survey thereof on file in this Office which have been examined and approved

Surveyor General's Office
Denver, C.T. October, 21st 1871.

W. W. Lessig.
Surv. Genl.

2

Township No. 17 South Range No. 61 West of the 6th Principal Meridian.



22938.13 *Total Number of Acres.*

Scale, 40 chains to an inch.

Surveys Designated.	By whom Surveyed.	Date of Contract.	Amount of Surveys. M.	Chs.	Lks.	When Surveyed.
Township.	Jac. H. Murtz	June 14th 1871				1871
Sub-Division.	Wm. A. Christian	May 12th 1874	59.	72.	14.	September 18th to 26th 1873

The above Map of Township No. 17 South of Range No. 61 West of the 6th Principal Meridian, in Colorado, is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.

SURVEYOR GENERAL'S OFFICE,
Denver, C. T., January 31st 1874.

Surveyor General.

BUREAU OF LAND MANAGEMENT

COLORADO RECTANGULAR SURVEY INDEX PRINTED: 02/24/76

TOWNSHIP 17 SOUTH RANGE 61 WEST -SIXTH PRIN MER

BOUNDARY	VOLUME	INTRODUCTION FROM	INTRODUCTION TO	SURVEY FROM	SURVEY TO	CERTIFICATE FROM	CERTIFICATE TO	TYPE	CONTRACT OR GROUP	ISSUED OR APPROVED	YEAR	SURVEY APPROVED	SURVEYOR OR REMARKS
NORTH	R0008	1	1	44	44	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
NORTH	R0008	1	1	69	72	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
SOUTH	R0008	1	1	38	38	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
SOUTH	R0008	1	1	63	66	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	63	63	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
EAST	R0008	1	1	67	69	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
WEST	R0008	1	1	38	38	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
WEST	R0008	1	1	42	44	260	260E	ORG		06/14/1871	1871	10/21/1871	J H MARTZ
SUBDIVISION	R0029	145	145A	146	176	212	216	ORG		05/12/1873	1873	01/31/1874	W CHRISTIAN

****

E 32
S- 15-
W 32

Book 8

Field Notes
of Survey of Exterior Lines
of Tps. 11. S. Rs 57. 58. 59. 60. 61.
of Tps 12. 13. 14 + 15. S. Ranges
57. 58. 59. 60. 61. 62. of Tps
16 + 17. S. Rs 59. 60. 61. 62.
63. 64. of Tps. 18 + 19. S. Rs
59. 60. 61. 62. 63. Tp. 20
S. Rs 59. 60. 61. W.
of the 6th Prin. Mer. in Col. Ter.
by Jacob H. Mortz
asst. Surveyor
under Contract of June 14. 1871
Survey begun July 2. 1871
Completed Sept 17. 1871

E. boundary T. 18. S. R. 62 W
state for Cor to Sec 1. 6. 7. 12
Land hilly Sandy

N. between Sec 1 & 6
Va 14° 45' E

40.00 Set post in mound with
charred stake for 1/4 Sec Cor
80.00 Set post in mound with
charred stake for Cor. to
Tps. 17. 18. S. Rs. 61. 62 W
Land Land hills 3d rate
Veg Land grass
July 11. 1871

From last named Cor
Town
W. on a random line
along the N. boundary
T. 18. S. R. 62. W.
Va 14° 30' E
Setting temporary mile

N. boundary T. 18. S. R. 62 W
and half mile post and at
5 miles 77 chs. 94 lks. inter=
sect W. boundary 18 lks.
South of Cor
therefore my correction will
be 3 lks N. for mile
From this Cor. Town
E. on a true line
between Sec 6. 31
Va 14° 29' E
17.50 Enter bottom land
37.94 Set post in mound with
charred stake for 1/4 Sec Cor
77.94 Set post in mound with
charred stake for Cor. to Sec
5. 6. 31. 32
Surface Marshy bottom
Good grass

E. between Sec 5. 32
Va 14° 29' E

E. boundary T. 17. S. R. 62. W

From the Cor. to Ts 17 & 18. S.
Rs 61 & 62. W. 2 mm

N. on true line
between Sec 31 & 36
Va 14° 30' E

40.00 Set post in mound with
chained state for 1/4 Sec Cor

80.00 Set post in mound with chained
State for Cor. to Sec 25. 30. 31 & 36
Land Sand hills 3d rate

N. between Sec 25 & 30
Va 14° 30' E

40.00 Set post in mound with chained
state for 1/4 Sec Cor

80.00 Set post in mound with
chained state for Cor. to Sec
19. 24. 25 & 30
Land Sand hills 3d rate

E. boundary T. 17. S. R. 62. W

N. between Sec 19 & 24
Va 14° 30' E

40.00 Set post in mound with chained
State for 1/4 Sec Cor

80.00 Set post in mound with
chained state for Cor. to Sec
13. 18. 19 & 24
Land Sand hills 3d rate

N. between Sec 13 & 18
Va 14° 30' E

40.00 Set post in mound with
chained state for 1/4 Sec Cor

80.00 Set post in mound with chained
state for Cor. to Sec 7. 12. 13 & 18
Land Sand hills 3d rate

N. between Sec 7 & 12
Va 14° 30' E

40.00 Set post in mound with
chained state for 1/4 Sec Cor

E. boundary T. 17. S. R. 62 W

80.00 Set post in mound with chained state for Cor. to Sec 1. 6. 7 & 12
Land Sand hills 3d rate

N. between Sec 1 & 6
Va 14° 30' E

40.00 Set post in mound with chained state for 1/4 Sec Cor

80.00 Set post in mound with chained state for Cor. to Tps 16 & 17. S. Rs 61. 62. W.
Land Sand hills 3d rate
Veg Sand grass
July 12. 1871

From last named Cor
Tran
W. on a random line along the N. boundary Tp. 17 S. R. 62. W.
Va. 14° 30' E

N. boundary T. 17. S. R. 62. W
Setting temporary mile and half mile posts and at 5 miles 78 chs. 16 lks intersect W. line. 32 lks N. of Cor. therefore my correction will be 5 lks 5 for mile.
From this Cor. Tran
E. on a true line
between Sec 6 & 31
Va 14° 32' E

38.16 Set post in mound with chained State for 1/4 Sec Cor

78.16 Set Sandstone 19 x 16 x 7 for Cor. to Sec 5. 6. 31 & 32
Land Sand hills 3d rate

E. between Sec 5 & 32
Va 14° 32' E

40.00 Set Stone 15 x 14 x 6 for 1/4 Sec Cor

80.00 Set Sandstone 18 x 17 x 8 for Cor. to Sec 4. 5. 32 & 33

E. boundary T. 18. S. R. 61. W

N. between Sec 25.30
Va 14° 45' E

40.00. Set post in mound with chan
State for 1/4 Sec Cor

80.00. Set post in mound with chan'd
State for Cor. to Sec 19.24.25.30
Land Rolling 3d rate

N. between Sec 19.24
Va 14° 45' E

40.00. Set post in mound with chan
State for 1/4 Sec Cor

80.00. Set post in mound with
chan'd State for Cor. to Sec 13.18.19.24
Land rolling 3d rate

N. between Sec 13.18
Va 14° 45' E

40.00. Set post in mound ie for 1/4 Sec Cor

80.00. Set post in mound with chan'd
State for Cor. to Sec 7.12.13.18

E. boundary T. 18. S. R. 61. W

N. between Sec 7.12
Va 14° 45' E

40.00. Set post in mound with chan'd
State for 1/4 Sec Cor

80.00. Set post in mound with chan'd
State for Cor. to Sec 1.6.7.12
Land rolling 3d rate

N. between Sec 1.6
Va 14° 45' E

40.00. Set post in mound with chan'd
State for 1/4 Sec Cor

80.00. Set post in mound with chan'd
State for Cor. to Tps 17 & 18. S.
R's 60 & 61. W
Land Sand hills 2d rate
Veg. Sand & bunch grass. Sand

W. on a random line
~~[illegible]~~ the N. boundary
T. 18. R. 61. W

N. boundary T. 18 S. R. 61 W
Va 14° 45' E
setting temporary mile and
half mile posts and at 5 miles
77 chs 96 lks. intersect W.
line 119 lks N. of Cor.
therefore my correction will
be 20 lks S. for mile
From this Cor. Trim
E. on a true line
between Sec 6 & 31
Va. 14° 54' E
37.96 Set post in mound with chained
Stake for 1/4 Sec Cor
77.96 Set post in mound with chain
Stake for Cor. to Sec 5 & 6. 31 & 32
Land hilly 3d rate
Veg. Sand grass & Sage
brush. Sum. flowers.
Soil Sandy

N. boundary T. 18 S. R. 61 W
E. between Sec 5 & 32
Va. 14° 54' E
40.00 Set post in mound with
chained Stake for 1/4 Sec Cor
80.00 Set post in mound with chained
Stake for Cor. to Sec 4. 5 & 32 & 33
Land rolling 2d rate

E. between Sec 4 & 33
Va 14° 54' E
40.00 Set post in mound with chained
Stake for 1/4 Sec Cor
80.00 Set post in mound with chain
Stake for Cor. to Sec 3. 4. 33 & 34
Land Land hills

E. between Sec 3 & 34
Va 14° 54' E
40.00 Set post in mound & for 1/4 Sec Cor
80.00 Set post in mound with chained
Stake for Cor. to Sec 2. 3. 34 & 35

N. boundary T. 18. S. R. 61 W.
E. between Sec 2 & 35
Va 14° 54' E

40.00 Set post in mound with chained stake for 1/4 Sec Cor
80.00 Set post in mound with chained stake for Cor. to Sec 1. 2. 35 & 36
Land rolling 3d rate

E. between Sec 1 & 36
Va 14° 54' E

40.00 Set post in mound with chained stake for 1/4 Sec Cor
80.00 The Cor. to Tps 17 & 18 S
R. 60 & 61 W
Land Sand Hills 3d rate
Veg. Sand & Prairie grass
Sagebrush Sun flower &c
July 17. 1871

E. boundary T. 17. S. R. 61. W
From the Cor. to Tps. 17 & 18 S.
R's 60 & 61. W. Trav
N. on a true line
between Sec 31 & 36
Va 14° 30' E

40.00 Set post in mound with chained stake for 1/4 Sec Cor
80.00 Set post in mound with chained stake for Cor to Sec 25. 30. 31 & 36
Land rolling 2d rate
Veg. Brush & Prairie grass
Soil Sandy.

N. between Sec 25 & 30
Va 14° 30' E

40.00 Set post in mound with chained stake for 1/4 Sec Cor
80.00 Set post in mound with chained stake for Cor. to Sec 19. 24. 25 & 30.
Land rolling 3d rate

E. boundary T. 17 S. R. 61. W

N. between Sec 19, 24
Va 14° 30' E

40.00 Set post in mound with chained
State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor. to Sec 13, 18, 19, 24
Land rolling 2d rate

N. between Sec 13, 18
Va 14° 30' E

40.00 Set post in mound with
chained State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor. to Sec 7, 12, 13, 18
Land rolling Sandy 2d rate

N. between Sec 7, 12
Va 14° 30' E

40.00 Set post in mound 1c for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor to Sec 1, 6, 7, 12

E. boundary T. 17. S. R. 61. W

N. between Sec 1, 6
Va 14° 30' E

40.00 Set post in mound with chained
State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor. to Tp. 16, 17. S
Rs 60, 61. W
Land rolling 2d rate
Veg. Brush Prairie and Sand
grass. Soil Sandy

From last named Cor
Trim
W. on a random line
along the N. boundary of
Tp. 17. S. R. 61. W
Va 14° 45' E
Setting temporary mile &
half mile posts and at
5 Miles 77 chs 45 lks
intersect W. line at a point

N. boundary T. 17 S. of R. 61 W.
218 lks N. of Cor
therefore my correction
will be 36 lks S. for mile
From this Cor I run
E. on a true line
between Sec 31, 36
Va. 15° E

37.45 Set post in mound with
chained State for 1/4 Sec Cor
77.45 Set post in mound with
chained State for Cor. to Sec
5, 6, 31, 32
Land Lava hills 3d rate
Veg. Sand grass
July 18, 1877

E. between Sec 5 & 32
Va 15° E

41.00 Set post in mound re for 1/4 Cor
80.00 Set post in mound with chained
State for Cor to Sec 4, 5, 32, 33

N. boundary T. 17 S. of R. 61 W.
E. between Sec 4, 33
Va 15° E

40.00 Set post in mound with
chained State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor to Sec 3, 4, 33, 34
Land rolling 3d rate

E. between Sec 3 & 34
Va 15° E

41.00 Set post in mound with chained
State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor. to Sec 2, 3, 34, 35
Land rolling 3d rate

E. between Sec 2 & 35
Va 15° E

41.00 Set post in mound re for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor to Sec 1, 2, 35, 36

N. boundary T. 17. S. R. 61. W
E. between Sec 1 & 36
Va 15° E

40.00 Set post in mound with
chained State for 1/4 Sec Cor
80.00 The Cor. to Tps 16 & 17. S.
Rs 60 & 61. W
Land rolling 2d rate
Veg. Bunch & Sand grass

From the Cor. to Tps 16 &
17. S. Rs 60 & 61. W. Com
N. on a true line
between Sec 31 & 36
Va 14° 30' E

40.00 Set post in mound with
chained State for 1/4 Sec Cor.
80.00 Set post in mound with chained
State for Cor. to Sec 25. 30. 31 & 36
Land rolling 3d rate

E. boundary T. 16. S. R. 61. W
N. between Sec 25 & 30
Va 14° 30' E

40.00 Set post in mound with chained
State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor. to Sec 19. 24. 25 & 30
Land rolling 3d rate

N. between Sec 19 & 24
Va 14° 30' E

40.00 Set post in mound with chained
State for 1/4 Sec Cor
80.00 Set post in mound with chained
State for Cor. to Sec 13. 18. 19 & 24
Land rolling 2d rate
Veg. Buffalo and Prairie
grass. Soil Sandy

N. between Sec 13 & 18
Va 14° 30' E

40.00 Set post in mound with

260

We hereby certify that we assisted Jacob A. Matty deputy Surveyor in surveyor the exterior lines of Tps 11. S. Rs 57. 58. 59. 60 & 61. W Tps 12. 13. 14 & 15. S. Rs 57. 58. 59 60. 61. 62. W. Tps 16 & 17. S. Rs 59. 60. 61 62. 63 & 64. W Tps 18 & 19. S. Rs 59 60. 61. 62. 63 and Tp 20. S. Rs 59. 60. 61. W. of the 6th Prin Mer in Col. Ter and that said Tps. have been in all respects to the best of our knowledge and belief well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

George Chalton } Chainman
John Laslett
James Duckett } Commerce
Co Carl Beckman } Flagman

60A

Subscribed and sworn to by the above named persons before me this 19th day of Sept. 1871

Orson Brooks Teal
United States Comr

60B

I, Jacob H. Martz, dep. Surveyor do solemnly swear that in pursuance of a contract with Wm H. Lewis, Surveyor of the Public lands of the U. S. in the Ter. of Colorado, I have faithfully surveyed the exterior lines of Tps 11. S. Rs 57. 58. 59. 60. 61 of Tps 12. 13. 14 & 15. S. Rs 57. 58. 59. 60. 61. 62 Tps 16 & 17. S. Rs 59. 60. 61. 62. 63 & 64 Tps 18 & 19. S. Rs 59. 60. 61. 62 & 63. & Tp 20. S. Rs 59. 60 & 61. W. of the 6th Prin Mer. in the Ter of Colorado, said contract bearing date June 14, 1871, and said survey being in strict conformity to the laws of the United States and the instructions of the Surveyor General, and I further solemnly swear that the foregoing are the true & original field notes of such survey

Jacob H Martz
Deputy Surveyor

Subscribed by said Jacob H Martz Deputy Surveyor. and sworn to before me this 19th day of Sept 1871

Orson Brooks Seal
United States Cons

Surveyor Generals Office
Denver C. T. Oct 21. 1871

The foregoing field notes of Survey of Tp. lines of Tps. 11. S. Rs 57. 58 59. 60 & 61 W. of Tps 12, 13. 14. 15. S. Rs 57. 58. 59. 60. 61, 62 W. of Tps 16 & 17. S. Rs 59. 60. 61, 62. 63, 64 W. of Tps 18 & 19. S. Rs 59. 60. 61. 62 & 63 W. of Tps 20. S. Rs 59 60. 61 W. of the 6th Prin. Mer. in Colorado Ter. executed by J. H. Martz. dep. Sur. under his contract of June 14. 1871. having been critically examined the necessary corrections & explanations made. the said field notes

260 E

and the surveys they describe are hereby approved

Surveyor General
of Colorado

Tp 17. S. R. 61 W.

Surveyed by

W. A. Christian

Deputy Surveyor

under his Contract of May 12th 1873.

Survey began Sept 18th 1873.

" Completed Sept 26th "

Tp 17. S. R. 61. W.

Arch bet Secs 35 & 36.

ba 14° 30' E.

4000 Set Post 5 ft long 6 x 6. 1 ft in Ground

Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6 x 6. 1 ft in Ground

Mound 2½ ft high Pits 24 x 12 x 12. Marked

1 notch on S & E. for Cor to Secs

25. 26. 35 & 36.

Hilly Sandy 3d rate by Buffalo Eng

Sand grass Soap wood & Cactus

E on ran line bet Secs 25 & 36.

ba 14° 54' E.

4000 Set lump 1/4 Sec Cor.

7961 Intersect Ar S. line 9 lks S. of Cor.

from which Cor Same

S 89° 56' W. on a true line

39,80 Set Post 5 ft long 6 x 6. 1 ft in Ground

Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

7961 The Cor to Secs 25. 26. 35 & 36.

Sun face rolling 3d rate by Same

Tp 17. S. R. 61 W.

Township 17 S. **R.** 61 W.

145 A

6	176	5	167	4	162	3	156	2	151	1
175		175		167		161		156		150
7	174	8	166	9	161	10	155	11	150	12
174		173		166		160		155		149
18	173	17	165	16	160	15	154	14	149	13
172		172		165		159		154		148
19	171	20	164	21	159	22	153	23	148	24
171		170		164		158		153		147
30	170	29	163	28	158	27	152	26	147	25
169		168		163		157		152		146
31	168	32	162	33	157	34	151	35	146	36

Tp 17. S. R. 61. W.

Arch bet Secs 35 & 36.

ba 14° 30' E.

4000 Set Post 5 ft long 6 x 6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6 x 6. 1 ft in Ground Mound 2½ ft high Pits 24 x 12 x 12. Marked 1 notch on S & E. for Cor to Secs 25. 26. 35 & 36.

Hilly Sandy 3° rate by Buffalo Eng Sand grass Soap wood & Cactus

E on ran line bet Secs 25 & 36.

ba 14° 54' E.

[illegible] Set lump 1/4 Sec Cor.

[illegible]961 Intersect No S. line 9 lks S. of Cor. from which Cor from

S 89° 56' W. on a true line

[illegible]9.80 Set Post 5 ft long 6 x 6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

[illegible]7961 The Cor to Secs 25. 26. 35 & 36.

Sun face rolling 3° rate by Same

Arch bet Secs 25 & 26.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Pits 24x12x12. Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Pits 24x12x12. Marked 2 notches on S & 1 on E. for Cor to Secs 23.24.25 & 26.
Hilly & Sandy 3° rate. by Same

E on ran line bet Secs 24 & 25;
ba 14° 50' E.

4000 Set temp. 1/4 Sec Cor.

8045 Intersect E line of Tp 7 chs S. of Cor from which Cor I run
S 89° 57' W. on a true line

4022 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor

8045 The Cor to Secs 23.24.25 & 26.
Land & by Same

T. 17. S. R. 61. W.

Arch bet Secs 23 & 24.
ba 14° 20' E.

4000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Pits 24x12x12. Marked 3. Notches on S & 1 on E. for Cor to Secs 13.14.23 & 24
Rolling Sandy 3° rate. by Buffalo & Sand grass

E on ran line bet Secs 13 & 24.
ba 14° 52' E.

4000 Set temp. 1/4 Sec Cor.

7963 Intersect E line of Tp 18 chs S. of Cor from which Cor I run
S 89° 52' W. on a true line

3981 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor

7963 The Cor to Secs 13.14.23 & 24
Surface rolling Sandy 3° rate. by Buffalo & Sand grass.

Norch bet Secs 13 & 14.

ba 14° 25' E.

4000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Pits 24x12x12. Marked 4 notches on S & 1 on E. for Cor to Secs 11. 12. 13 & 14

Hilly & Sandy 3° rate. by Same

E on rain line bet Secs 12 & 13.

ba 14° 50' E.

4000 Set temp 1/4 Sec Cor.

8a 14 Intersect N & S line 10 lks N. of Cor. from which Cor Trees

N 89° 56' W. on a true line

4a a7 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8a 14 The Cor to Secs 11. 12. 13 & 14.

Surface hilly 3° rate. by Buffalo and Sand grass Sep 8th 1873.

T. 17. S. R. 61. W.

Norch bet Secs 11 & 12.

ba 14° 25' E.

4000 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in Ground Marked 2½ ft high Pits 24x12x12. Marked 5 notches on S & 1 on E. for Cor to Secs 1. 2. 11 & 12.

Hilly & Sandy 3° rate. by Same

E on rain line bet Secs 1 & 12.

ba 14° 50' E.

4000 Set temp 1/4 Sec Cor.

79.73 Intersect E line of Tp 4 lks S. of Cor. from which Cor Trees

S 89° 58' W. on a true line

39.86 Set Post 5 ft long 6x6. 1 ft in Ground Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

79.73 The Cor to Secs 1. 2. 11 & 12.

Surface rolling & Sandy 3° rate. by Same

A on ran line bet Secs 1 & 2.
ba 14° 54' E.

4000 Set lineup 1/4 Sec Cor.

8071 Intersect N line of Tp 27 cks E of Cor
from which Cor Fnn
S 0° 12' E
on a true line

4071 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8071 The Cor to Secs 1. 2. 11 & 12.
Hilly & Sandy 3rd rate. by Same

Arrete bet Secs 34 & 35.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Pits 24x12x12.
Marked 1 notch on S & 2 on E. for
Cor to Secs 26. 27. 34 & 35.
Hilly & Sandy. by Buffalo Grass & Sand Grass

T. 17. S. R. 61. W.

E on ran line bet Secs 26 & 35.
ba 14° 50' E.

4000 Set lineup 1/4 Sec Cor.

7981 Intersect N & S. line 19 cks S. of Cor.
from which Cor Fnn
S 89° 52' W. on a true line

3990 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

7981 The Cor to Secs 26. 27. 34 & 35.
Rolling & Sandy 3rd rate. by Same

Arrete bet Secs 26 & 27.
ba 14° 35' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Pits 24x12x12. Mkd
2 notches on S & 2 on E. for Cor to Secs
22. 23. 26 & 27
Hilly Sandy 3rd rate. by Same

E on run line bet Secs 23 & 26.

ba 14° 50' E.

4000 Set temp 1/4 Sec Cor.

7974 Intersect N & S. line 18 lks N. of Cor from which Cor I run

N 89° 52' W. on a true line

3987 Set Last 5 ft long 6 x 6. 1 ft in ground Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.

7974 The Cor to Secs 22. 23, 26 & 27

Hilly & Sandy. bey Sand grass & Soap wood

Sep 19th 1873.

Noreto bet Secs 22 & 23.

ba 14° 35' E.

4000 Set Last 5 ft long 6 x 6. 1 ft in ground Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor

8000 Set Last 5 ft long 6 x 6. 1 ft in ground Mound 2 1/2 ft high Rets 24 x 12 x 12. Marked 3 notches on S & 2 on E from Cor to Secs 14. 15. 22 & 23.

Surface hilly soil Sandy 3rd rate bey Same

T. 17. S. R. 61. W.

E on run line bet Secs 14 & 23.

ba 14° 50' E.

4000 Set temp 1/4 Sec Cor.

8050 Intersect N & S. line 10 lks S. of Cor, from which Cor I run

S 89° 56' W. on a true line

4025 Set Last 5 ft long 6 x 6. 1 ft in ground Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.

8050 The Cor to Secs 14. 15. 22. & 23.

Hilly & Sandy 3rd rate bey Same

Noreto bet Secs 14 & 15.

ba 14° 30' E.

4000 Set Last 5 ft long 6 x 6. 1 ft in ground Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor

8000 Set Last 5 ft long 6 x 6. 1 ft in ground Mound 2 1/2 ft high Rets 24 x 12 x 12, Marked 4 notches on S & 2 on E for Cor to Secs 10. 11. 14 & 15.

Rolling & Sandy 3rd rate bey Buffalo Grass & Soap wood.

E on van line bet Secs 11 & 14
ba 14° 54' E.

4000 Set limp 1/4 Sec Cor.
8041 Intersect Ar S. line 14 lks S. of Cor
from which Cor I run
S 89° 54' W. on a true line
4020 Set Rust 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 S. Cor.
8041 The Cor to Secs 10. 11. 14 & 15.
Hilly & Sandy 3° rate. by Same

Arrete bet Secs 10 & 11
ba 14° 30' E.

4000 Set Rust 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
8000 Set Rust 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Rets 24x12x12.
Marked 5 notches on S & 2 on E for Cor
to Secs 2. 3. 10 & 11
Surface level Sandy 3° rate. by Same

T. 17. S. R. 61. W.

E on van line bet Secs 2 & 11
ba 14° 54' E.

4000 Set limp 1/4 Sec Cor.
8067 Intersect Ar S. line 30 lks S. of Cor
from which Cor I run
S 89° 47' W. on a true line
4033 Set Rust 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
8067 The Cor to Secs 2. 3. 10 & 11
Hilly Sandy 3° rate. by Same

A on van line bet Secs 2 & 3.
ba 14° 20' E.

4000 Set limp 1/4 Sec Cor.
8091 Intersect A line of Tp 34 lks W of Cor.
from which Cor I run
S 0 15' W. on a true line
4091 Set Rust 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.
8091 The Cor to Secs 2. 3. 10 & 11
Hilly & Sandy 3° rate by Same

Notch bet Secs 33 & 34

ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high. Marked 1/4 Fr 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Pits 24x12x12.
Marked 1 notch on S & 3 on E. Fr
Cor to Secs 27. 28. 33 & 34
Hilly Sandy 3° rate. by Sand Grass & Sage
Sep 20th 1873.

E on ran line bet Secs 27 & 34

ba 14° 50' E.

4000 Set Limp 1/4 Sec Cor.

80.31 Intersect Nr S. line 17 lks S of Cor.
from which Cor I run
S 89° 53' W. on a true line

40.15 Set Post 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Marked 1/4 Fr 1/4 Sec Cor

80.31 The Cor to Secs 27. 28. 33 & 34
Hilly & Sandy 3° rate. by Sand
grass & Soap wood.

T. 17. S. R. 61. W.

Notch bet Secs 27 & 28.

ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Marked 1/4 Fr 1/4 Sec Cor

8000 Set Post 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Pits 24x12x12.
Marked 2 notches on S & 3 on E. Fr
Cor to Secs 21. 22. 27 & 28.
Hilly & Sandy 3° rate. by Same

E on ran line bet Secs 22 & 27

ba 14° 54' E.

4000 Set Limp 1/4 Sec Cor.

80.41 Intersect Nr S. line 9 lks N. of Cor.
from which Cor I run
N 89° 56' W. on a true line

40.20 Set Post 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high. Mkd 1/4 Fr 1/4 Cor.

80.41 The Cor to Secs 21. 22. 27 & 28.
Rolling Sandy 3° rate. by Sand
Grass & Soap wood.

Horch bet Secs 21 & 22.
bo 14 · 30 · E.

4000 Set Post 5 ft long 6 x 6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.
8000 Set Post 5 ft long 6 x 6. 1 ft in ground
Md 2 1/2 ft high Rts 24 x 12 x 12.
Marked 3 notches on S & E. for
Cor to Secs 15. 16. 21 & 22.
Rolling Sandy 3° rate. by Same

E on run line bet Secs 15 & 22.
bo 14 · 50 · E.

4000 Set lump 1/4 Sec Cor.
8057 Intersect No S line 23 lks S of Cor
from which Cor from
S. 89 · 50 · W. on a true line
4028 Set Post 5 ft long 6 x 6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
8057 The Cor to Secs 15. 16. 21 & 22.
Hilly & Sandy 3° rate. by Same

T. 17. S. R. 61.
Horch bet Secs 15 & 16.
bo 14 · 30 · E.

4000 Set Post 5 ft long 6 x 6. 1 ft in ground
Md 2 1/2 ft high Mkd 1/4 for 1/4 Sec Cor.
8000 Set Post 5 ft long 6 x 6. 1 ft in ground
Md 2 1/2 ft high Rts 24 x 12 x 12. Marked
4 notches on S & 3 on E. for Cor to
Secs 9. 10. 15 & 16.
Hilly 3° rate. by Same

E on run line bet Secs 10 & 15.
bo 14 · 50 · E.

4000 Set lump 1/4 Sec Cor.
7960 Intersect No S line 7 lks N of Cor
from which Cor from
N 89 · 57 · W. on a true line
4980 Set Post 5 ft long 6 x 6. 1 ft in ground
Md 2 1/2 ft high Mkd 1/4 for 1/4 Sec Cor.
7960 The Cor to Secs 9. 10. 15 & 16.
Hilly Sandy 3° rate. by Same
Sep 21st 1873.

Aorete bet Sus 9 & 10.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Md 2½ ft high Marked 1/4 for 1/4 Sec Cor
8000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high. Rib 24x12x12.
Marked 5 notches on S & 3 on E. for
Cor to Sus 3. 4. 9 & 10.
Hilly Sandy 3° rate. by Same

E on ran line bet Sus 3 & 10.
ba 14° 54' E.

4000 Set lump 1/4 Sec Cor.
80.40 Intersect A & S. line 20 lks S. of Cor.
from which Cor Dom
S 89° 51' W. on a true line
4020 Set Post 5 ft long 6x6. 1 ft in ground
Md 2½ ft high Marked 1/4 for 1/4 Sec Cor
80.40 The Cor to Sus 3. 4. 9 & 10.
Rolling Sandy 3° rate. by Same

T. 17. S. R. 61. W.

A. on ran line bet Sus 3 & 4
ba 14° 30' E.

4000 Set lump 1/4 Sec Cor.
80.41 Intersect A line of Tp 24 lks W. of Cor.
from which Cor Dom
S 0° 10' W.

on a true line

40.41 Set Post 5 ft long 6x6. 1 ft in ground
Md 2½ ft high. Marked 1/4 for 1/4 Sec Cor
80.41 The Cor to Sus 3. 4. 9 & 10.
Hilly Sandy 3° rate. by Same

Aorete bet Sus 32 & 33.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Marked 1/4 for 1/4 Sec Cor
8000 Set Post 5 ft long 6x6. 1 ft in ground
Md 2½ ft high. Rib 24x12x12.
Marked 1 notch on S & 4 on E. for
Cor to Sus 28. 29. 32 & 33.
Hilly & Sandy 3° rate. by Same

E on van line bet Secs 28 & 33.
ba 14° 54' E.

4000 Set temp 1/4 Sec Cor.
8051 Intersect N & S. line 11 cks N. of Cor.
from which Cor Found
N 89° 55' W. on a true line
4025 Set Post 5 ft long 6 x 6. 1 ft in Ground
Mound 2 1/2 ft high. Marked 1/4 for 1/4 Sec Cor
8051 The Cor to Secs 28. 29. 32 & 33.
Hilly & Sandy 3° rate. by Same

North bet Secs 28 & 29
ba 14° 30' E.

4000 Set Post 5 ft long 6 x 6. 1 ft in Ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
8000 Set Post 5 ft long 6 x 6. 1 ft in Ground
Mound 2 1/2 ft high. Pits 24 x 12 x 12.
Marked 2 notches on S & 4 on E. for
Cor to Secs 20. 21. 28 & 29
Rolling & Sandy 3° rate. by Sand grass
Soap weed & Sage brush.

T. 17. S. R. 61. W.

E on van line bet Secs 21 & 28.
ba 14° 50' E.

4000 Set temp 1/4 Sec Cor.
7975 Intersect N & S. line 19 cks N. of Cor.
from which Cor Found
N 89° 51' W. on a true line
39,87 Set Post 5 ft long 6 x 6. 1 ft in Ground
Md 2 1/2 ft high Mkd 1/4 for 1/4 Sec Cor.
7975 The Cor to Secs 20. 21. 28 & 29
Hilly 3° rate by Buffalo & Sand grass & Cactus
Sep 22: 1873.

North bet Secs 20 & 21.
ba 14° 30' E.

4000 Set Post 5 ft long 6 x 6. 1 ft in Ground
Mound 2 1/2 ft high Mkd 1/4 for 1/4 Sec Cor.
8000 Set Post 5 ft long 6 x 6. 1 ft in Ground
Md 2 1/2 ft high Pits 24 x 12 x 12 marked
3 notches on S & 4 on E. for Cor to
Secs 16. 17. 20 & 21.
Rolling & Sandy 3° rate. by Same

E on ran line bet Secs 16 & 21.
ba 14° 50' E.

4000 Set limp 1/4 Sec Cor.
79.71 Intersect No S. line 8 chs S. of C.
from which Cor Same
S 89° 57' W. on a true line
39.85 Set Post 5 ft long 6x6. 1 ft in ground
Md 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
79.71 The Cor to Secs 16. 17. 20 & 21.
Hilly 3° rate. by Sand grass & Cactus

Arrite bet Secs 16 & 17.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
8000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Pit 24x12x12.
Marked 4 notches on S & E for Cor
to Secs 8. 9. 16 & 17
Rolling & Sandy 3° rate. by Same

T. 17. S. R. 61. W.

E on ran line bet Secs 9 & 16.
ba 14° 50' E.

4000 Set limp 1/4 Sec Cor
80.17 Intersect No S. line 17 chs N of Cor.
from which Cor Same
N 89° 53' W. on a true line
40.08 Set Post 5 ft long 6x6. 1 ft in ground
Md 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
80.17 The Cor to Secs 8. 9. 16 & 17.
Hilly & Sandy 3° rate. by Same

Arrite bet Secs 8 & 9
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Mkd 1/4 for 1/4 Sec Cor.
8000 Set Post 5 ft long 4x4 1 ft in ground
Md 2 1/2 ft high Pit 24x12x12. Mkd
5 notches on S & 4 on E. for Cor
to Secs 4. 5. 8 & 9
Surface level Sandy 3° rate. by Buffalo & Sand
grass Soap weed & Cactus

E on ran line bet Sus 4 & 9
ba 14° 50' E.

4000 Set temp 1/4 Sec Cor.

7991 Intersect Ar S. line 19 lks S. of Cor
from which Cor I run
S. 89° 52' W. on a true line

39.95 Set Post 5 ft long 6x6. 1 ft in ground Mound
2 1/2 ft high Marked 1/4 for 1/4 Sec Cor

7991 The Cor to Sus 4.5.8 & 9
Surface rolling Soil Sandy 3° rate
by Sand grass Soap wood & Sage

Notch on ran line bet Sus 4 & 5.
ba 14° 30' E.

4000 Set temporary 1/4 Sec Cor.

8117 Intersect A line of Tp 23 lks E. of Cor
from which Cor I run
S. 0° 10' E on a true line

4117 Set Post 5 ft long 6x6. 1 ft in ground
Mo 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
Sep 23: 1873

T. 17. S. R. 61. W.

8117 The Cor to Sus 4.5.8 & 9
Surface hilly Soil Sandy 3° rate
by Sand grass Soap wood & Cactus

Notch bet Sus 31 & 32.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.

8000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Rets 24x12x12.
Marked 1 notch on S & 3 on E. for Cor.
to Sus 29.30. 31 & 32.
Surface hilly & Sandy by Same

E on ran line bet Sus 29 & 32.
ba 14° 54' E.

4000 Set temp 1/4 Sec Cor.

79.54 Intersect Ar S. line 8 lks Ar of Cor
from which Cor I run

N 89° 57' W.

on a true line

39.77 Set Last 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Marked ¼ for ¼ Sec Cor
79.54 The Cor to Secs 29. 30. 31 & 32.
Hilly & Sandy 3d rate by Same

West on run line bet Secs 30 & 31.
ba 14° 50' E.

4000 Set temp ¼ Sec Cor.
77.30 Intersect W line of Tp 21 cks Ar of Cor
from which Cor I run
N 89° 51' E

on a true line

37.30 Set Last 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high. Marked ¼ for ¼ Sec Cor
77.30 The Cor to Secs 29. 30. 31 & 32,
Surface rolling & Sandy
3d rate. by Sand Grass & Cactus

T. 17. S. R. 61. W.

North bet Secs 29 & 30.
ba 14° 30' E.

4000 Set Last 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Mkd ¼ for ¼ Sec Cor.
8000 Set Last 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Lets 24x12x12.
Marked 2 notches on S & 5 on E.
for Cor to Secs 19. 20. 29 & 30.
Rolling & Sandy 3d rate. by Same

E on run line bet Secs 20 & 29
ba 14° 48' E.

4000 Set temp ¼ Sec Cor.
80.15 Intersect N & S. line 9 cks Ar of Cor
from which Cor I run
N 89° 56' W. on a true line

40.07 Set Last 5 ft long 6x6. 1 ft in Ground
Mound 2½ ft high Mkd ¼ for ¼ Sec Cor,
80.15 The Cor to Secs 19. 20. 29 & 30,
Surface rolling & Sandy 3d rate
by Same

W on ran line bet Secs 19 & 30.
ba 14° 48' E.

4000 Set temp 1/4 Sec Cor.
76.91 Intersect W. line of Tp 17 chs S of Cor.
from which Cor Form
S 89° 53' E. on a true line
36.91 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high. Mkd 1/4 for 1/4 Sec Cor.
76.91 The Cor to Secs 19. 20. 29 & 30.
Rolling & Sandy. 3d rate. bey Same
Sep 24th 1873.

Noreto bet Secs 19 & 20.
ba 14° 30' E.

4000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high. Marked 1/4 for 1/4 Cor.
8000 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Pit 24 x 12 x 12
Marked 3 notches on S & 5 on E
for Cor to Secs 17. 18. 19 & 20.
Hilly Sandy 3d rate. bey Sand grass
Soap weed & Cactus

T. 17. S. R. 61. W.

E on ran line bet Secs 17 & 20.
ba 14° 45' E.

4000 Set temp 1/4 Sec Cor
79.87 Intersect N. S. line 11 chs S. of Cor.
from which Cor Form
S 89° 55' W. on a true line
39.93 Set Post 5 ft long 6x6. 1 ft in ground
Md 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.
79.87 The Cor to Secs 17. 18. 19 & 20.
Land & bey Same

W on ran line bet Secs 18 & 19
ba 14° 45' E.

4000 Set temp 1/4 Sec Cor.
77.81 Intersect W. line of Tp 24 chs N. of Cor
from which Cor Form
N 89° 50' E. on a true line
37.81 Set Post 5 ft long 6x6. 1 ft in ground
Mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
77.81 The Cor to Secs 17. 18. 19 & 20
Hilly & Sandy 3d rate. bey Same

Arrete bet Secs 17 & 18.
ba 14° 45' E.

4000 Set Last 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high. Marked ¼ for ¼ Sec Cor.
8000 Set Last 5 ft long 6x6. 1 ft in ground
Md 2½ ft high Rets 24x12x12. Mkd
4 notches on S & 5 on A. for Cor.
to Secs 7. 8. 17 & 18.
Land & bey Same

E on rear line bet Secs 8 & 17
ba 14° 45' E.

4000 Set lump ¼ Sec Cor
79.78 Intersect A & S. line 7 cks Sr of Cor.
from which Cor Down
S 89° 57' W on a true line
39.89 Set Last 5 ft long 6x6. 1 ft in ground
Md 2½ ft high Mkd ¼ for ¼ Sec Cor.
79.78 The Cor to Secs 7. 8. 17 & 18.
Land & bey Same

T. 17. S. R. 61. W.

W. on rear line bet Secs 7 & 18.
ba 14° 45' E.

4000 Set lump ¼ Sec Cor.
77.57 Intersect W line of T/p 15 cks Ar of Cor.
from which Cor Down
A 89° 54' E. on a true line
37.57 Set Last 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Marked ¼ for ¼ Sec Cor
77.57 The Cor to Secs 7. 8. 17 & 18.
Land & bey Same

Sep 25th 1873.

Arrete bet Secs 7 & 8.
ba 14° 45' E.

4000 Set Last 5 ft long 6x6. 1 ft in ground
Md 2½ ft high. Mkd ¼ for ¼ Sec Cor
8:00 Set Last 5 ft long 6x6. 1 ft in ground
Mound 2½ ft high Rets 24x12x12.
Marked 5 notches on S & E. for Cor.
to Secs 5. 6. 7 & 8.
Hilly & Sandy 3° rate. bey Bunch &
Sand grass & Soap weed

E on ran line bet Sns 5 & 8.
ba 14° 45' E.

4000 Set temp 1/4 Sec Cor
80 20 Intersect No S. line 30 chs S. of Cor
from which Cor Drn
S 89° 47' W. on a true line
40 10 Set Post 5 ft long 6 x 6. 1 ft in ground
Mid 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
80 20 The Cor to Sns 5. 6. 7 & 8.
Land & bey Same as last mile

West on ran line bet Sns 6 & 7
ba 14° 45' E.

4000 Set temp 1/4 Sec Cor
77.29 Intersect W line of Tp 9 chs S. of Cor.
from which Cor Drn
S 89° 56' E. on a true line
37.29 Set Post 5 ft long 6 x 6. 1 ft in ground
mound 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor
77 29 The Cor to Sns 5. 6. 7 & 8.
Land & bey Same

T. 17. S. R. 61. W.

N. on ran line bet Sns 5 & 6.
ba 14° 45' E.

4000 Set temp 1/4 Sec Cor.
80.49 Intersect N. line of Tp 33 chs W. of Cor.
from which Cor Drn
S. 0° 14' W. on a true line
40.49 Set Post 5 ft long 6 x 6. 1 ft in ground
Mid 2 1/2 ft high Marked 1/4 for 1/4 Sec Cor.
80 49 The Cor to Sns 5. 6. 7 & 8.
Land rolling. bey Same
Sep 26th 1873.

General Description

The quality of the soil in this Tp is very poor being composed mostly of Sand hills. The grass however is fair affording good grazing for Stock

We hereby certify that we accom
William A. Christian deputy
surveyor in surveying the
subdivisional lines of Tps.
number Seventeen and Eighte
South of the base line of Rg
number fifty nine. Sixty an
Sixty one west of the Sixth
principal meridian and the
said Tps have been in all
respects to the best of our knowl
edge & belief well and faithfu
surveyed and the boundary
monuments planted according
to the instructions furnished by
the surveyor general.

Wm Daslett } Chainman
Lisicio Mortega }
Salomon Dewee } Flagman
Manuel Lo Ito } Chainman

Subscribed and sworn to by the above named persons before me a Notary Public the Territory of Colorado this D 10th day of Dec 1873.

Geo. M. Howe.
Notary Public

I William A. Christian deputy surveyor do solemnly swear that in pursuance of a contract with William H. Lessig surveyor of the public lands of the United States in the Territory of Colorado bearing date the 12th day of May 1873 and in strict conformity to the laws of the United States: and the printed instructions furnished by the said surveyor general I have faithfully surveyed the subdivisional lines of Tps. number Seventeen and Eighteen south of the base line of Rge number fifty nine sixty and sixty one west of the sixth principal meridian in the Territory aforesaid and

further solemnly swear that the foregoing are the true and original field notes of such survey.

William A. Christian
Deputy Surveyor

Subscribed by said William A. C. Christian deputy surveyor and sworn to before me a Notary Public the Territory of Colorado this 10th day of Dec 1873.

Geo. M. Stone.
Notary Public

SURVEYOR GENERAL'S OFFICE.

Denver, C. T., Jany 31st 1874

The foregoing field notes of the survey of the Subdivisional lines of Townships 17 & 18 S. of Ranges 59. 60 & 61. west of the 6th principal meridian in Colorado, executed by W. A. Christian deputy surveyor, under his contract of May 12th 1873, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

W. W. Lessig,
Surveyor General of Colorado.